INDEX TO VOLUME 48

The asterisk (*) preceding the page number indicates an original article in the Archives. Subject entries are made for all articles. Author entries are made for original articles and society transactions. Biographies, Book Reviews, Editorials, Obituaries and Society Transactions are indexed under these headings in their alphabetical order under the letters B, E, O and S, respectively.

Abnormalities and Deformities: See under names of diseases, organs and regions, as Atrophy; Hair, abnormalities; Nails; Pigmentation; Skin, abnormalities; etc.
Abramowitz, E. W.: Folliculitis; case for diagnosis, 565
  Folliculitis ulerythematosa reticulata, 673
  Lichen planus linearis, 680
  Lymphoblastoma resembling neurodermatitis, 437
  Mycosis fungoides of chest with parapsoriasis en plaques of body, 427
  Necrobiosis lipoidica, 680
  Persistent marginal blepharitis (due to yellow mercuric oxide), 443
Abscess: See under names of organs and regions
Acanthosis nigricans; case for diagnosis, 109
  nigricans; is it form of avitaminosis? *650
  nigricans of juvenile type, mild diabetes and obesity, 468
Acariasis, dermatitis due to Tyroglyphus longior, Gerv., var. Castellanii, Hirst, in cheese dust, 425
Acarus Scabiei: See Scabies
Acetarsone, Therapy: See Pemphigus
Acetylcholine: See Choline and Choline Derivatives
Achromia: See Vitiligo
Acid, Nicotinic: See Nicotinic Acid
  para-aminobenzoic, and sunburn, 661
  Salicylic: See Salicyl Compounds
Acne, extensive postacne keloids, 431
  halowax acne ("cable rash"); cutaneous eruption in marine electricians due to certain chlorinated naphthalenes and diphenyls, *251
  rosacea-like tuberculid of face, 555
  rosacea-like tuberculid of Lewandowsky, 333, 463
  urticata polycythemica accompanied by polycythaemia vera and loss of directional power in fingers of left hand, 430
  vulgaris, fat metabolism in, 207
  vulgaris with comedos; treatment by monoterminal electrodesiccation, *302
Acrodermatitis chronica atrophicans, 682
  chronica atrophicans with fibrous nodules or mycosis fungoides, 126
Acrodynia, erythredema polyneuritis (pink disease), 663
Acrosclerosis: See Scleroderma
Actinodermatitis: See under Light
Actinomycosis or neurotic excoriations, 550, 562
Adenoma sebaceum treated by solid carbon dioxide, *198
Adipose Tissue: See Fat; Lipoma; Obesity
Adolescence, variations in cutaneous manifestations of vitamin A deficiency from infancy to puberty, *1
Age, experimental studies with dermatophytes: influence of age on allergic response in experimental ringworm in guinea pig, 661
  Old: See Old Age
  variations in cutaneous manifestations of vitamin A deficiency from infancy to puberty, *1
Albinism: See Vitiligo
Allergy: See Anaphylaxis and Allergy
Alopecia, areata, *581
  depression-hyposexual-alopecia syndrome, 317
  herpes zoster with scarring and alopecia in 8 year old boy, 667
  male hormone stimulation is prerequisite and incitant in common baldness, 662
  traumatic marginal alopecia due to traction on hair; comparative study of alopecia liminaris frontalis of Sabouraud, *527
Amebiasis cutis, 571
American Medical Association, Section on Dermatology and Syphilology, 536
Amines, acquired hypersensitivity to chlorinated ethylamine vesicants; report of case, *15
Amyloidosis, congo red test for amyloid disease; quantitative technic; utility of congo red test in diagnosis and in differential diagnosis, 660
  cutis, 224
  cutis, localized, 112, 131
  of skin, 337
Anaphylaxis and Allergy: See also Asthma: etc.
  allergenic properties of vegetable gums; case of asthma due to tragacanth, 423
  cutaneous tests with hen's egg white fractions in atopic infantile eczema, *258
  experimental studies with dermatophytes; influence of age on allergic response in experimental ringworm in guinea pig, 661
  histologic studies of reactions to intracutaneous tests in allergy of infection in humans, 541
  newer interpretation of positive skin reactions, 98
  results of questionnaire on patch tests; analysis of answers by 211 dermatologists and 55 industrial physicians, *514
  studies in abnormal human sensitivity to light; passive transfer of light hypersensitivity in prurigo aestivalis, 543
  studies in abnormal human sensitivity to light; photoallergic concept of prurigo aestivalis, 543
Ancylostoma: See Hookworm Infection
Anderson, N. P.: Pagetoid epithelioma (scrotum); arsenical keratoses (palms and soles), 319
  Parapsoriasis; case for diagnosis, 320
  Piedra, 473
  Xanthoma; case for diagnosis, 471
Andrews, G. C.: Arsenical pigmentation and hyperkeratosis; case for diagnosis, 547
  Chronic ulcer of leg caused by microaerophilic hemolytic streptococci (Meleney), 677
Androgens, effect on sebaceous glands of human skin, *601
  male hormone stimulation is prerequisite and incitant in common baldness, 662
  mycosis fungoides with bullous lesions; report of case resistant to roentgen and arsenical therapy; effects of empiric therapy, partly based on laboratory investigations, *359
Anemia, sickle cell, in white race, 422
  sickle cell, with ulcerations, 558
Angioid Streaks: See Retina, blood supply
Angioma cavernosum, massive, treated with solid carbon dioxide, 670
  of head, 561
  Parkes Weber syndrome; hemangiectatic hypertrophy, 449
Ankle: See also Foot
  neurogenic arthropathy of left knee and ankle; gumma of left ankle; juxta-articular nodules due to syphilis; atrophic arthritis, 116
Anthrax, 421, *582
Antigens and Antibodies: See Lipoids; and under specific antigens and reactions, as Lymphogranuloma Venereum; etc.
Anus, microaerophilic hemolytic streptococcus infection of axillas, inguinal and perianal region, 681
Aorta, microscopic pathologic appearance of aorta in treated and untreated cases of syphilitic aortitis, 421
Aortitis, syphilitic, microscopic pathologic appearance of aorta in treated and untreated cases of, 421
Aphthosis: See Stomatitis, aphthous
Apparatus for application of irritant vapors to skin, *173
Appel, B.: Plaint, plea and proposal, 200

Arday, E. J.: Lichen planus; plastic induration of penis (Peyronie's disease), 121
Multiple cutaneous leiomyoma, 114
Neurogenic arthropathy of left knee and ankle; gumma of left ankle; juxta-articular nodules due to syphilis; atrophic arthritis, 116
Armies: See Military Medicine; Recruits: War
Arms: See also Extremities; etc.
basal cell epithelioma of left axilla and left arm, 677
sesame oil tumors, 97
Arnold, H. L., Jr.: Colloid pseudomilium; review of its nomenclature and report of case, *262
Arsenic and Arsenic Compounds: See also Arsphenamines
arsenical dermatitis with superficial epitheliomatosis, 324
arsenical keratoses; arsenical epitheliomas, 681
arsenical keratoses of palms and soles, 138
arsenical pigmentation and hyperkeratosis, 547
arsenical pigmentation and keratoses, 458
blood level and excretion of arsenic following single injections of clorarsen, *297
cerebral reactions associated with massive mapharsen treatment of early syphilis, 204
complications of antisyphilitic therapy in pregnancy, *83
pagetoid epithelioma (scrotum); arsenical keratoses (palms and soles), 319
Therapy: See under Syphilis
Arsphenamines, respiratory allergy from arsphenamines; personal case report, 98
Arteries: See also Aorta; Blood pressure: Embolism; Periarteritis; etc.
Coronary: See Coronary Vessels
Arthritis, arthropathic pustular psoriasis, 224
cutaneous and subcutaneous nodules with juxta-articular infiltrations and rheumatoid symptoms, 425
neurogenic arthropathy of left knee and ankle; gumma of left ankle; juxta-articular nodules due to syphilis; atrophic arthritis, 116
tertiary syphilis; arthropathy of hands and wrists with multiple areas of cystic degeneration of bone, 117
Arthropathy: See Arthritis
Asthma: See also Anaphylaxis and Allergy
allergenic properties of vegetable gums; case of asthma due to tragacanth, 423
respiratory allergy from arsphenamines; personal case report, 98
Athlete's Foot: See Ringworm
Atopy: See Anaphylaxis and Allergy
Atrophoderma: See Atrophy
Atrophy: See also Acrodermatitis chronica atrophicans; and under names of organs and regions
of skin or poikiloderma, 463
of tissues and pigmentation, 666
porokeratosis (Mibelli) associated with cutaneous horn, dystrophy of nails and atrophy of interosseous muscles; report of case, *50
with lichen planus, 334
Avitaminoses: See under Vitamins
Axilla: See also Sweat Glands
basal cell epithelioma of left axilla and left arm, 677
microaerophilic hemolytic streptococcus infection of axillas, inguinal and perianal region, 681
Ayres, S., Jr.: Arsenical keratoses of palms and soles, 138
Cheilitis seborrheica and seborrheic dermatitis of scalp, 136
Contact dermatitis of eyelids of undetermined cause, 326
Fibroma; case for diagnosis, 471
Lichen planus atrophicus, 472
Lupus erythematosus, 472
Multiple extensive ulcerations of legs, 327
Prickle cell epithelioma of lip in young woman, 139

B C G: See under Tuberculosis
Bacteria: See Meningococci; Staphylococci; Streptococci; Tubercle Bacilli; Viruses; etc.
Dysentery: See Dysentery
Leprosy: See Leprosy
Baldness: See Alopecia
Bancroft, I.: Lupus erythematosus; case for diagnosis, 323
Bancroft, J. R.: Keloid, 470
Banyai, A. L.: Changes in finger nails in pulmonary tuberculosis, *306
Barton, R. L.: Fixed drug eruption produced by diphenylhydantoin sodium, *413
Bazin's Disease: See Erythema induratum
Beard: See Hair
Becker, F. T.: Congenital auricular fistula, *520
Becker, S. W.: Dermatitis factitia, neurotic excoriations or tuberculids, 218
Dyskeratosis bullosa (so-called benign familial pemphigus), 217
Melanosis of unusual type, 456
Monilethrix or trichorrhexis nodosa, 331
Sarcoid (miliary), 223
Unusual form of naevus pigmentosus, 228
Bell's Palsy: See Paralysis, facial
Benzyl Benzoate: See Scabies
Bernhardt, E.: Simplified method for staining fungi in skin and in nails, *533
Besnier-Boeck's Disease: See Sarcoidosis
Binjai Tree: See Mango
Biographies:
Alexander Samoilovich Rosenblium; his contribution to fever therapy, *52
Biotin: See Vitamins, B
Bismuth and Bismuth Compounds, intravenous administration of sobismiol solution; toxicity in normal and in syphilitic rabbits, *35
Therapy: See under names of various diseases, i. e., Lupus erythematosus; Syphilis; etc.
Blastomyces, similarity of fungi causing South American blastomycosis (paracoccidioidal granuloma) and North American blastomycosis (Gilchrist's disease), 544
Blastomycosis, 236. See also Coccidioidomycosis; Moniliasis
cutaneous, complicated by meningitis, *88
experimental cutaneous reactions of American blastomycosis in guinea pig, 207
similarity of fungi causing South American blastomycosis (paracoccidioidal granuloma) and North American blastomycosis (Gilchrist's disease), 544
Blepharitis: See Eyelids
Blister Fluid, electrolyte content in pemphigus, 543
production of bullae in skin of duck; experiments with bullae produced by vesicants, *616
production of bullae in skin of duck; preliminary report, *161
Blood, cholesterol, 422
cholesteral values in cases of generalized pruritus, 663
Diseases: See Anemia; Leukemia; etc.
level and excretion of arsenic following single injections of clorarsen, *297
pressure, high; diabetes; hypertensive cardiovascular disease; psoriasis; scleredema, 554
treatment of leg ulcers with blood and concentrated plasma, 420
Bloom, D.: Fixed drug eruption; case for diagnosis, 442
Hypertrophic gingivitis; case for diagnosis, 673
Peculiar marginal blepharitis (due to yellow oxide of mercury), 433
Peculiar pigmentation following injection of tyrosinase in vitiligo, 110
Pemphigus-vulgaris-like eruption following use of sulfonamide compounds, 562
Persistent blepharitis (due to yellow mercuric oxide), 108
Bluefarb, S. M.: Amyloidosis of skin, 337
Colloid milium; case for diagnosis, 454
Localized dermatitis herpetiformis or neurotic excoriations, 237
Lupus erythematosus of eyelids, 233
Lupus vulgaris with pulmonary tuberculosis, 219
Mycosis fungoides, 215
Necrobiosis lipoidica diabeticorum, 226
Vascular disease; case for diagnosis, 353
Boeck Sarcoid: See Sarcoidosis
Bograd, N.: Treatment of tinea with ethyl chloride, *511
Boil, Jericho: See Leishmaniasis

Bones: See also under names of bones
marrow; pulmonary fat embolism following infusions via bone marrow, 205
tertiary syphilis; arthropathy of hands and wrists with multiple areas of cystic degeneration of bone, 117
syphilis with gummas of leg, 242

Book Reviews:
Dictionary of Bio-Chemistry and Related Subjects; W. M. Malisoff, 478
Diseases of Skin; O. S. Ormsby and H. Montgomery, 250
Essentials of Industrial Health; C. O. Sappington, 358
Essentials of Syphilology; R. H. Kampmeier, 357
Formulary and Handbook, The Johns Hopkins Hospital; edited by J. C. Krantz Jr., 686
Fundamentals of Immunology; W. C. Boyd, 477
Handbook of Allergy for Students and Practitioners; W. B. Blanton, 357
Kozhniy leishmanioz (Cutaneous Leishmaniasis); P. V. Kozhevnikov, 476
Methods of Diagnostic Bacteriology; I. G. Schaub and M. K. Foley, 478
1942 Year Book of Dermatology and Syphilology; F. Wise and M. B. Sulzberger, 358
Pênfigo foliáceo (fogo selvagem): Aspectos clinicos e epidemiologicos; J. A. Campos, 141
Primer of Allergy: Guidebook for Those Who Must Find Their Way Through Mazes of This Strange and Tantalizing State; W. T. Vaughan, 141
Synopsis of Diseases of Skin; R. L. Sutton Sr. and R. L. Sutton Jr., 357
War Medicine: Symposium; edited by W. S. Pugh, 142

Bordet-Wassermann Reaction: See Syphilis
Bowen's Disease: See Cancer, precancer
Brain, Diseases: See Encephalitis; etc.
Bromide and Bromine, dermatitis medicamentosa (bromides?), 243
Brooke-Morrow's Disease: See Keratosis follicularis
Bubo, Climatic: See Lymphogranuloma Venereum
Bubonulus: See Lymphogranuloma Venereum
Bullosis: See Vesication
Buphthalmos: See Hydrophthalmos
Burks, J. W.: Histopathologic study of psoriasis, *479
Buschke's Disease: See Scleroderma

Cable Rash: See Chloronaphthalene
Cadden, A. V.: Changes in finger nails in pulmonary tuberculosis, *306
Calamine and neocalamine, 1942, *369
Callosities: See Keratosis
Cancer: See also Epithelioma; Sarcoma; Tumors; and under names of organs and regions, as Lips; etc.
"field-fire" and invasive basal cell carcinoma, basal-squamous type, 661
precancer; Bowen's disease, 213
Cannon, A. B.: Diabetes; hypertensive cardiovascular disease; psoriasis; scleredema, 554
Lichen planus, dermatitis medicamentosa (gold) or peripheral neuritis, 547
Lichen planus, moniliasis or tinea versicolor, 561
Lichenoid exudative discoid dermatitis, 668
Sarcoidosis, 552
Scleroderma, progressive type, 669
Syphilitic gumma of pharynx, 247
Capillaries: See Skin, blood supply
Carbon Dioxide, Solid: See Adenoma
Carbuncle, Malignant: See Anthrax
Carcinoma: See Cancer
Cardiovascular Diseases: See also Heart; etc.
hypertensive; diabetes; psoriasis; scleredema, 554
Cardiovascular System: See Heart; etc.
Carleton, A.: Keratosis follicularis; study of 4 cases, *143
Caro, M. R.: Lupus erythematosus, 222, 331
Lupus erythematosus in young child, 330
Tuberculosis of skin, 218
Carotene: See also Vitamins, A
pityriasis rubra pilaris of familial type; experiences in therapy with carotene and vitamin A, *288

Cat Itch: See Acariasis
Cations: See Ions
Cells: See also Phagocytes and Phagocytosis; Tissue; etc.
mosaic fungus; cholesterol intercellular artefact, *282
virus diseases of skin with reference to elementary and inclusion bodies; variola-vaccinia and molluscum contagiosum, *635
Chancre, multiple chancriform lesions on penis, 474
Charcot's Joints: See Tabes Dorsalis
Chargin, L.: Multiple idiopathic hemorrhagic sarcoma (Kaposi), 244
Vitamin A studies in cases of ichthyosis, *32
Vitamin A studies in cases of keratosis follicularis (Darier's disease), *17
Chaulmoogra Oil, Therapy: See Leprosy
Cheese Itch: See Acariasis
Cheilitis: See under Lips
Chemotherapy: See under Dysentery; Gonorrhea; Impetigo; Skin, diseases; etc.
Chest: See Thorax
Chilblains, normal and injurious effects of cold on skin and underlying tissues; chilblains and allied conditions, 315
Children, false positive serologic tests for syphilis, 208
lymphogranuloma venereum in, 546
prevention of ringworm of scalp in, *533
Chloronaphthalene, halowax acne ("cable rash"); cutaneous eruption in marine electricians due to certain chlorinated naphthalenes and diphenyls, *251
Cholesterol: See also Lipoids
in Blood: See under Blood
mosaic fungus; cholesterol intercellular artefact, *282
Choline and Choline Derivatives, sweat response to acetylcholine, 661
Chorioallantoic Membrane: See Fungi
Chromatophores: See under Melanin
Chu, F. T.: Variations in cutaneous manifestations of vitamin A deficiency from infancy to puberty, *1
Cicatrix, chronic scarring pseudofolliculitis of Negro beard, 312, 539
herpes zoster with scarring and alopecia in 8 year old boy, 667
Cipollaro, A. C.: Basal cell epithelioma, 566
Black hairy tongue, 432
Cutaneous horn with prickle cell epithelioma, 567
Infiltrating basal cell epithelioma, 567
Mycosis fungoides, 428
Seborrheic keratosis with epithelioma, 567
Civatte's Disease: See Poikiloderma
Climacteric: See also Menopause
keratoderma climactericum (Haxthausen); hypoestrogenic keratodermatitis, *270
Clorarsen: See Arsenic and Arsenic Compounds
Clothing, contact dermatitis due to resin-finished facing in cotton underwear, 95
contact dermatitis due to sweat shirt, 239
dermatitis exfoliativa following dermatitis venenata due to shorts, 676, 680
Coal Tar, plaint, plea and proposal, 200
Coccidioides, isolation from soil and rodents, 313
Coccidioidomycosis in wild rodents; method of determining extent of endemic areas, 313
Cohen, D.: Atrophy of skin or poikiloderma, 463
Case for diagnosis, 231
Lichen planus; case for diagnosis, 451
Lupus erythematosus, erythema perstans or erythema elevatum diutinum, 337
Cold: See also Temperature
erythema nodosum, 440
normal and injurious effects of cold on skin and underlying tissues; chilblains and allied conditions, 315
normal and injurious effects of cold on skin and underlying tissues; frostbite, 316
normal and injurious effects on skin and underlying tissues; reactions to cold and injury of normal skin, 315
Cole, A. G.: Cutaneous tests with hen's egg white fractions in atopic infantile eczema, *258

Cole, H. N., Jr.: Chick embryo antigen (lygranum) test for lymphogranuloma venereum; clinical investigation, *379
Poikiloderma atrophicans vasculare (Jacobi), 575
Colitis, multiple ulcers of skin; chronic ulcerative colitis, 551
Colloid pseudomilium; review of its nomenclature and report of case, *262
Combes, F. C.: Prickle cell epithelioma, 248
Tuberculosis or sporotrichosis, 129
Comedones, treatment of acne vulgaris with comedos by monoterminal electrodesiccation, *302
Communicable Diseases: See Meningitis; Syphilis; etc.
Complement Fixation: See under Lymphogranuloma Venereum; Syphilis
Congo Red: See Amyloidosis
Congress: See Societies
Conjunctivitis, fixed eruption and fever from sulfathiazole, *523
Convulsions: See Epilepsy
Coomber, R. B.: Basal cell epithelioma with pigment, secondary to pigmented nevus, 226
Cord, R.: Chick embryo antigen (lygranum) test for lymphogranuloma venereum; clinical investigation, *379
Cornbleet, T.: Arrested acute disseminated lupus erythematosus, 344
Atrophy of skin or poikiloderma, 463
Case for diagnosis, 231
Glomus tumor, 466
Lichen planus; case for diagnosis, 451
Mosaic fungus; cholesterol intercellular artefact, *282
Parapsoriasis; case for diagnosis, 444
Pigmented purpuric lichenoid dermatitis, 467
Trichotillomania, 227
Cornu Cutaneum: See Horns, cutaneous
Coronary Vessels, tobacco skin-reactions in peripheral vascular diseases and coronary artery disease, 206
Correction in transcript of article by Frank H. Moult entitled "Histopathology of Rat Skin in Avitaminosis A" (Arch. Dermat. & Syph. 47: 768 [June] 1943), 540
Cosmetics, acute dermatitis due to hair lacquer, 540
allergic dermatitis caused by hair lacquer products, *656
dermatitis due to nail polish foundation, *197, 419
dermatitis due to nail polish; report of 2 cases, with experimental studies, *612
use of urea in hand creams, *47
Costa, O. G.: Case of keloids of unusual size, *411
Microsporon infection of palpebral and ciliary regions, *65
Severe tropical ulcer, *414
Traumatic marginal alopecia due to traction on hair; comparative study of alopecia liminaris frontalis of Sabouraud, *527
Costello, M. J.: Dermatitis exfoliativa following dermatitis venenata due to shorts, 680
Dermatitis venenata (shorts dermatitis), 676
Dermatomyositis improved by oral administration of dihydrotachysterol, 429
Epidermolysis bullosa and ichthyosis occurring simultaneously, 434
Lymphangioma circumscriptum, 441
Microaerophilic hemolytic streptococcus infection of axillas, inguinal and perianal region, 681
Polycythaemia vera accompanied by acne urticata polycythemica and loss of directional power in fingers of left hand, 430
Tertiary cutaneous syphilis complicated by secondary infection, possibly by microaerophilic hemolytic streptococci, 132
Couperus, M.: Multiple idiopathic hemorrhagic sarcoma, 135
Creams: See Cosmetics
Cysts: See under names of organs and regions, as Synovial Membrane; etc.

Dandruff: See Seborrhea
Darier's Disease: See Keratosis follicularis
Darling's Disease: See Histoplasmosis
Davidson, D. M.: Morphoea guttata, 105
Davis, M. I. J.: Porokeratosis (Mibelli) associated with cutaneous horn, dystrophy of nails and atrophy of interosseous muscles; report of case, *50
Deficiency Diseases: See Vitamins; etc.
Degeneration, Amyloid: See Amyloidosis
colloid, of skin (unilateral), 241
post-traumatic, and hyperplasia, 135
Dentition: See Teeth
Depigmentation: See Pigmentation
Depression-hyposexual-alopecia syndrome, 317
Derbes, V. J.: Yellow dermographia, *310
Dermatitis: See also Acrodermatitis; Eczema; Neurodermatitis; etc.
Acneform: See Acne
Actinica: See under Light
and eczema, 209
Arsphenamine: See Arsphenamines
Atopic: See Eczema; Neurodermatitis
Atrophicans: See Atrophy
Blastomycetic: See Blastomycosis
Contact: See Dermatitis venenata
due to Tyroglyphus longior, Gerv., var. Castellanii, Hirst, in cheese dust, 425
Eczematous: See Eczema
exfoliative, following dermatitis venenata due to shorts, 676, 680
exfoliative, secondary to psoriasis, 667
exfoliative, with leukemoid blood picture indistinguishable from lymphatic leukemia, *42
factitia; actinomycosis or neurotic excoriations, 550, 562
factitia; neurotic excoriations, 550
factitia, neurotic excoriations or tuberculids, 218
factitia or erythema multiforme, 679
fixed eruption, conjunctivitis and fever from sulfathiazole, *523
from exposure to tear gas, 425
halowax acne ("cable rash"); cutaneous eruption in marine electricians due to certain chlorinated naphthalenes and diphenyls, *251
herpetiformis, 236, 684
herpetiformis in child, 210
herpetiformis, localized, or neurotic excoriations, 237
herpetiformis or pemphigus vulgaris, 114
in tattooed areas, 557
lichenoid exudative discoid dermatitis, 668
Medicamentosa: See under Drugs; and under names of drugs, as Arsenic and Arsenic Compounds; Arsphenamines; Bismuth and Bismuth Compounds; Bromide and Bromine; Gold and Gold Compounds; Mercury; etc.
Multiformis: See Dermatitis herpetiformis
Occupational: See Industrial Diseases
petroleum dermatitis; report of 2 cases, *193
repens, 211
Rhus: See Rhus, poisoning
Roentgen Ray: See under Roentgen Rays
Seborrheic: See Seborrhea
Solar: See under Light
toxic, due to ergot, 134
Venenata: See also Plants; Resins; Rhus, poisoning; etc.
venenata; acute dermatitis due to hair lacquer, 540
venenata; allergic dermatitis caused by hair lacquer products, *656
venenata caused by smoke, 425
venenata; contact dermatitis, 685
venenata; contact dermatitis due to resin-finished facing in cotton underwear, 95
venenata; contact dermatitis due to sweat shirt, 239
venenata; contact dermatitis of eyelids of undetermined cause, 326
venenata; dermatitis exfoliativa following dermatitis venenata due to shorts, 676, 680
venenata due to mistletoe, *416
venenata due to nail polish foundation, *197, 419
venenata due to nail polish; report of 2 cases, with experimental studies, *612
Dermatologic societies, directory of, 687
Dermatology, dermatologists in war, 417
military, 99
results of questionnaire on patch tests; analysis of answers by 211 dermatologists and 55 industrial physicians, *514
Dermatomycosis: See Mycosis, cutaneous
Dermatomyositis, case of, 209
improved by oral administration of dihydrotachysterol, 429
Dermatophytosis: See Mycosis, cutaneous

Dermatoses: See Dermatitis; Eczema; Skin, diseases; etc.
Dermographia, phenomenon of "black dermographism," 97
yellow, *310
Diabetes Mellitus; acanthosis nigricans of juvenile type, mild diabetes and obesity, 468
diabetes; hypertensive cardiovascular disease; psoriasis; scleredema, 554
necrobiosis lipoidica diabeticorum with xanthoma cells; report of case, *606
pemphigus; diabetes, 555
skin disturbances in; their relation to vitamin deficiencies, 424
Diachylon: See Eczema
Diathesis, Hemorrhagic: See Purpura; etc.
Diethylstilbestrol: See Estrogens
Dihydrotachysterol: See Hydrotachysterol
Diphenyl: See Phenyl Compounds
Diphenylhydantoin Sodium: See Phenytoin
Director, W.: Fixed eruption, conjunctivitis and fever from sulfathiazole, *523
Directory of dermatologic societies, 687
Ditkowsky, S. E.: Cutaneous tests with hen's egg white fractions in atopic infantile eczema, *258
Dopa: See Hydroxyphenylalanine
Dorne, M.: Arsenical pigmentation and keratoses, 458
Case for diagnosis, 339
Lichen planus with atrophy (?), 334
Lupus erythematosus; case for diagnosis, 457
Lupus erythematosus of eyelid, 339
Pemphigus of mouth improving with acetarsone therapy, 457
Recalcitrant eruption of palms, 446
Schamberg's progressive pigmentary dermatosis or hypostatic purpura, 329
Dostrovsky, A.: Phagedenic ulcer (pyoderma gangraenosum); treatment with sulfapyridine powder and moist chamber therapy, *164
Downing, J. G.: Results of questionnaire on patch tests; analysis of answers by 211 dermatologists and 55 industrial physicians, *514
Driver, J. R.: Poikiloderma atrophicans vasculare (Jacobi), 575
Drugs, Eruption: See also under names of drugs, as Arsenic and Arsenic Compounds; Arsphenamines; Bismuth and Bismuth Compounds; Bromide and Bromine; Gold and Gold Compounds; Mercury; etc.
eruption, fixed; case for diagnosis, 442
eruption, fixed, conjunctivitis and fever from sulfathiazole, *523
Ducks, production of bullae in skin of duck; experiments with bullae produced by vesicants, *616
production of bullae in skin of duck; preliminary report, *161
Duhring's Disease: See Dermatitis herpetiformis
Durand-Nicolas-Favre's Disease: See Lymphogranuloma Venereum
Dust, folliculitis from, *599
Dysentery, bacilli; mechanism of action of certain sulfonamide compounds, 542
Dyskeratosis: See Keratosis
Dystrophy: See Nails

Ear, congenital auricular fistula, *520
herpes zoster oticus treated with omnadin, 546
treatment of otomycosis, 660
Ebert, M. H.: Arthropathic pustular psoriasis, 224
Bowen's disease, 213
Chronic undermining and burrowing ulcer (Meleny), 341
Dermatitis herpetiformis in child, 210
Erythema induratum; case for diagnosis, 212, 343
Gangrene; case for diagnosis, 336
Herpes zoster; case for diagnosis, 450
Lichen planus with recurrent attacks associated with exacerbations of hyperthyroidism, 446
Lupus erythematosus disseminatus subacutus, 452
Lupus erythematosus of lips, 356
Lymphoblastoma or psoriasis, 328
Mycosis fungoides in tumor stage, 214
Ebert, M. H.—Continued
Parkes Weber syndrome; hemangiectatic hypertrophy, 449
Schönlein's purpura or rickettsial infection, 464
So-called myoblastoma, 348
Virus diseases of skin with reference to elementary and inclusion bodies; variola-vaccinia and molluscum contagiosum, *635
Ebert, R. H.: Angioid streaks and pseudoxanthoma elasticum, *75
Eczema and dermatitis, 209
and pruritus in aged, 99
cutaneous tests with hen's egg white fractions in atopic infantile eczema, *258
lead poisoning caused by plaster of lead oleate (diachylon), 661
lichen planus or pityriasis rosea, 439
Seborrheic: See Seborrhea
studies in abnormal human sensitivity to light; prurigo aestivalis, eczema solare and urticaria photogenica; report of 17 cases and review of literature; light sensitivity in prurigo aestivalis, eczema solare and urticaria photogenica; report of experiments, 206
use of urea in hand creams, *47
Edema: See Elephantiasis; and under names of organs

EDITORIALS:
Dermatologists in war, 417

Education, teaching of occupational dermatoses, *153
Elbow, juxta-articular nodes of elbows and palms, 130
Electrocoagulation: See under specific headings
Electrodesiccation: See Acne vulgaris
Electrolytes: See also Ions
electrolyte content of blister fluid in pemphigus, 543
Electropyrexia: See under Scleroderma
Electrosurgery: See under specific headings, as Acne; etc.
Elephantiasis, elephantiasic papulonodular myxedema, *70
of vulva of undetermined cause; furrowed tongue; perlèche, 221
Embolism, pulmonary fat embolism following infusions via bone marrow, 205
Emotions; emotional settings of some attacks of urticaria, 100
Encephalitis, cerebral reactions associated with massive mapharsen treatment of early syphilis, 204
Vegetative: See Acrodynia
Endamoeba Histolytica: See Amebiasis
Engelhardt, H. T.: Yellow dermographia, *310
Enzymes, leukoderma treated with intracutaneous injections of tyrosinase enzyme, 430
vitiligo treated with tyrosinase, 438
Epidermolysis bullosa and ichthyosis occurring simultaneously, 434
bullosa hereditaria, 685
bullosa; report of case, *159
Epidermomycosis; Epidermophytosis: See Moniliasis; Mycosis, cutaneous; Ringworm
Epilepsy, cutaneous nevus with buphthalmos and epilepsy, 664
fixed drug eruption produced by diphenylhydantoin sodium, *413
Epithelioma, arsenical; arsenical keratoses, 681
arsenical dermatitis with superficial epitheliomatosis, 324
basal cell, 437, 566
basal cell, of left axilla and left arm, 677
basal cell, with pigment, secondary to pigmented nevus, 226
case for diagnosis, 470
gumma of mouth with pseudoepitheliomatous hyperplasia, seborrheic dermatitis or psoriasiform parakeratosis of skin, 574
infiltrating basal cell epithelioma, 567
intraepidermal, 322
Lipoma-like basal cell epithelioma, *176
multiple benign cystic epithelioma, 102
multiple benign cystic epithelioma and seborrheic keratosis, 102
pagetoid (scrotum); arsenical keratoses (palms and soles), 319
prickle cell, 248

Epithelioma—Continued
prickle cell, of lip in young woman, 139
prickle cell, with cutaneous horn, 567
results of irradiation treatment of cancer of lip; analysis of 636 cases from 1926-1936, 100
with seborrheic keratosis, 567
Ergot, toxic dermatitis due to, 134
Eruptions: See under Arsenic and Arsenic Compounds; Arsphenamines; Drugs; Skin, diseases; etc.
Erysipeloid, *582
Erythema elevatum diutinum, lupus erythematosus or erythema perstans, 337
hyperhidrosis of feet, 538
induratum, 103, 334
induratum and advanced pulmonary tuberculosis, 103
induratum; case for diagnosis, 212, 343
induratum or erythema nodosum, 445
multiforme, 137
multiforme or dermatitis factitia, 679
multiforme perstans recurrens and psoriasis of palms, 435
nodosum; case for diagnosis, 436
nodosum (cold), 440
nodosum; histopathology of Mantoux reaction and erythema nodosum, 318
nodosum or erythema induratum, 445
palmare (red palms), 107
perstans, lupus erythematosus or erythema elevatum diutinum, 337
toxic, fixed type of, 462
Erythredema: See Acrodynia
Erythroderma, Exfoliativum: See Dermatitis exfoliativa
Ichthyosiform: See Ichthyosis
Maculopapular: See Parapsoriasis
Esthiomene: See Lymphogranuloma Venereum
Estradiol: See Estrogens
Estrin, M. M.: Kaposi's sarcoma, 665
Estrogens, effect of estradiol and diethylstilbestrol on atrophic human buccal mucosa, with preliminary report on use of estrogen in management of senile gingivitis, 424
effect of estradiol locally applied to abnormal skin, *188
keratoderma climactericum (Haxthausen); hypoestrogenic keratodermatitis, *270
sesame oil tumors, 97
treatment of essential pruritus and kraurosis vulvae, 424
Ethylamine: See Amines
Ethyl Chloride: See Tinea
Extremities: See also Arms; etc.
Blood Supply: See also Raynaud's Disease; Thrombophlebitis; etc.
blood supply; tobacco skin-reactions in peripheral vascular diseases and coronary artery disease, 206
blood supply; vascular disease; case for diagnosis, 353
normal and injurious effects of cold on skin and underlying tissues; chilblains and allied conditions, 315
paralysis; paresis following herpes zoster, 314
Parkes Weber syndrome; hemangiectatic hypertrophy, 449
Eyelashes, microsporon infection of palpebral and ciliary regions, *65
seborrheic dermatitis of eyelids and canities of eyelashes, 324
Eyelids, contact dermatitis of undetermined cause, 326
gumma of upper lip, lower right eyelid and hard palate, 118
lupus erythematosus of, 233, 339
microsporon infection of palpebral and ciliary regions, *65
peculiar marginal blepharitis (due to yellow oxide of mercury), 433
persistent blepharitis (due to yellow mercuric oxide), 108
persistent marginal blepharitis (due to yellow mercuric oxide), 443
seborrheic dermatitis of eyelids and canities of eyelashes, 324
Eyes: See also Vision; and under names of special structures and diseases of eye, as Retina; etc.
syphilis, treatment of, 100
syphilitic gumma of, 672
Face, diseases; clinical use of penicillin, 100
Paralysis: See Paralysis, facial
tuberculid, rosacea-like, 555
Fat: See also Lipoids
adiponecrosis neonatorum, 113
lecithin feeding in syndrome of psoriasis; chemical studies of relationship of lecithin feeding to fat metabolism, 544
metabolism in acne vulgaris, 207
Favosa: See Favus
Favre-Nicolas' Disease: See Lymphogranuloma Venereum
Favus of glabrous skin and mucous membranes or moniliasis of skin and mucous membranes, 119
Feer's Disease: See Acrodynia
Feet: See Foot
Feiler, H. B.: Lupus erythematosus; case for diagnosis, 109
Felsher, I. M.: Lupus erythematosus in young child, 330
Tuberculosis of skin, 218
Fever, Alexander Samoilovich Rosenblium; his contribution to fever therapy, *52
fixed eruption, conjunctivitis and fever from sulfathiazole, *523
Rocky Mountain Spotted: See Rocky Mountain Spotted Fever
Therapeutic: See Scleroderma; Syphilis; etc.
Fibroma, case for diagnosis, 471
Fifth Venereal Disease: See Granuloma inguinale
Fingers and Toes: See also Foot; Hand
Nails: See Nails
polycythaemia vera accompanied by acne urticata polycythemica and loss of directional power in fingers of left hand, 430
Finkle, T. H.: Adenoma sebaceum treated by solid carbon dioxide, *198
Finnerud, C. W.: Basal cell epithelioma with pigment, secondary to pigmented nevus, 226
Case for diagnosis subsequently proved to be 1 of syphilis, 453, 469
Fistula, congenital auricular, *520
Folliculitis, actual causes of certain occupational dermatoses; study of 527 cases with reference to dermatoses due to mineral oils, *591, *596
case for diagnosis, 565
decalvans; lichen planus et atrophicus (folliculitis decalvans and lichen spinulosus, Little and McCafferty), 669
ulerythematosa reticulata, 673
Foot: See also Ankle; Fingers and Toes; etc.
hyperhidrosis of feet, 538
von Recklinghausen's disease with involvement of scalp, palms and soles; report of case, *656
Ford, W. K.: Scabies or syphilis, 453
Superficial nonulcerative syphilis; case for diagnosis, 452
Foreign Bodies; foreign body reaction; case for diagnosis, 448
Fourth Venereal Disease: See Lymphogranuloma Venereum
Fox, H.: Actinomycosis or neurotic excoriations, 550, 562
Lupus vulgaris hypertrophicus, 549
Frank, L. J.: Herpes zoster with scarring and alopecia in 8 year old boy, 667
Franks, A. G.: Cutaneous blastomycosis complicated by meningitis, *88
Porokeratosis (Mibelli) associated with cutaneous horn, dystrophy of nails and atrophy of interosseous muscles; report of case, *50
Fraser, J. F.: Exfoliative dermatitis with leukemoid blood picture indistinguishable from lymphatic leukemia, *42
Frazier, C. N.: Variations in cutaneous manifestations of vitamin A deficiency from infancy to puberty, *1
Freeman, C. W.: Vitiligo of upper lip in players of wind instruments, *605
Frei Reaction: See Lymphogranuloma Venereum
Frost, K.: Post-traumatic degeneration and hyperplasia, 135
Seborrheic dermatitis of eyelids and canities of eyelashes, 324
Frostbite: See also Chilblains
normal and injurious effects of cold on skin and underlying tissues; frostbite, 316

Fruchtbaum, L. M.: Dermatitis medicamentosa (bromides?), 243
Fungi: See also Actinomycosis; Blastomycosis; Moniliasis; Mycosis; Ringworm; etc.
inhibitory effect of monochlormercuricarvacrol on growth of pathogenic fungi, *497
mosaic; cholesterol intercellular artefact, *282
simplified method for staining fungi in skin and in nails, *533
virulence of strains of phialophora verrucosa determined by inoculating chorioallantoic membranes of chick embryos, 545
Furunculosis, etiology and treatment, 424

Gahan, E.: Incidence of psoriasis among population at large, *305
Gammel, J. A.: Lichen sclerosis et atrophicus: case for diagnosis, 115
Gangrene, case for diagnosis, 336
Garb, J.: Mycosis fungoides with bullous lesions; report of case resistant to roentgen and arsenical therapy; effects of empiric therapy, partly based on laboratory investigations, *359
Gas, poisoning; dermatitis from exposure to tear gas, 425
poisoning; production of bullae in skin of duck; experiments with bullae produced by vesicants, *616
Gauvain, E. A.: Lupus vulgaris, 242
Roentgen dermatitis, 244
Genitals: See Genitourinary Tract; and under names of genitals, as Penis; etc.
Genitourinary Tract, tuberculosis of cutis and hypoderm associated with genitourinary tuberculosis and chronic pulmonary tuberculosis, 249
Georgi, C. E.: Inhibitory effect of monochlormercuricarvacrol on growth of pathogenic fungi, *497
Gilchrist's Disease: See Blastomycosis
Gingivitis: See Gums
Glick, A. W.: Vitamin A studies in cases of ichthyosis, *32
Vitamin A studies in cases of keratosis follicularis (Darier's disease), *17
Goeckerman, W. H.: Arsenical dermatitis with superficial epitheliomatosis, 324
Gold and Gold Compounds, lichen planus, dermatitis medicamentosa (gold) or peripheral neuritis, 547
Therapy: See under Lupus erythematosus; etc.
Goldman, L.: Acquired hypersensitivity to chlorinated ethylamine vesicants; report of case, *15
Production of bullae in skin of duck; experiments with bullae produced by vesicants, *616
Production of bullae in skin of duck; preliminary report, *161
Gonorrhea: See also Venereal Diseases
chemotherapeutic prophylaxis with sulfonamide drugs, 420
migrating thrombophlebitis following gonorrhea and medication with sulfonamide drugs, 128
Good, C. K.: Halowax acne ("cable rash"); cutaneous eruption in marine electricians due to certain chlorinated naphthalenes and diphenyls, *251
Goodfriend, J.: Livedo reticularis (syphilis), 216
Goodman, H.: Calamine and neocalamine, 1942, *369
Gordon Test: See Hodgkin's Disease
Grace, A. W.: Beneficial effect of smallpox vaccine on recurrent aphthous ulcers of mouth and tongue, *151
Chick embryo antigen (lygranum) test for lymphogranuloma venereum, 659
Complement fixation test for lymphogranuloma venereum; results obtained with its use, *619
Granuloma annulare, 461
annulare, contribution to study of, 101
cholesterinicum subcutaneum; new form of localized lipoidosis, 544
Fungoides: See Mycosis fungoides
Inguinale: See also Lymphogranuloma Venereum
inguinale, bubonulus in, *494
inguinale; late latent syphilis, 112
inguinale, lymphogranuloma venereum or tuberculosis, 351
Granuloma—Continued
Malignant: See Hodgkin's Disease
Paracoccidioidal: See Blastomycosis
Venereal: See Granuloma inguinale; Lymphogranuloma Venereum
Greenbaum, S. S.: Chronic scarring pseudofolliculitis of Negro beard, 312
Groin, microaerophilic hemolytic streptococcus infection of axillas, inguinal and perianal region, 681
Gum: See Tragacanth
Gumma: See Ankle; Eyelids; Leg; Pharynx; etc.
Gums, effect of estradiol and diethylstilbestrol on atrophic human buccal mucosa, with preliminary report on use of estrogen in management of senile gingivitis, 424
hypertrophic gingivitis; case for diagnosis, 673

Habermann's Disease: See Parapsoriasis
Hair: See also Alopecia
abnormalities; monilethrix or trichorrhexis nodosa, 331
acute dermatitis due to hair lacquer, 540
allergic dermatitis caused by hair lacquer products, *656
Diseases: See also Alopecia
diseases; piedra, 473
diseases; trichorrhexis nodosa or monilethrix, 331
effect of androgen on sebaceous glands of human skin, *601
ingrown; chronic scarring pseudofolliculitis of Negro beard, 312, 539
Plucking: See Trichotillomania
traumatic marginal alopecia due to traction on hair; comparative study of alopecia liminaris frontalis of Sabouraud, *527
Hall, A. F.: Intraepidermal epithelioma, 322
Hallopeau's Disease: See Acrodermatitis
Halloran, C. R.: Case for diagnosis, 470
Lupus vulgaris, 137
Lymphoblastoma; case for diagnosis, 140
Halowax: See Chloronaphthalene
Hand, E. A.: Scabies or syphilis, 453
Superficial nonulcerative syphilis; case for diagnosis, 452
Hand: See also Fingers and Toes
juxta-articular nodes of elbows and palms, 130
neurofibromatosis of palms and wrists; keloids, 246
polycythaemia vera accompanied by acne urticata polycythemica and loss of directional power in fingers of left hand, 430
recalcitrant eruption of palms, 446
von Recklinghausen's disease with involvement of scalp, palms and soles; report of case, *656
Hand Creams: See Cosmetics
Hansen's Disease: See Leprosy
Hanzlik, P. J.: Intravenous administration of sobisminol solution; toxicity in normal and in syphilitic rabbits, *35
Haxthausen's Disease: See Keratosis
Hazen, H. H.: Vitiligo of upper lip in players of wind instruments, *605
Head, angiomas of, 561
Heart, effect of Schaumann's disease on heart and its mechanism, 546
Hecht, R.: Cutaneous tests with hen's egg white fractions in atopic infantile eczema, *258
Hedge, H. M.: Pemphigus erythematosus, 330
Heisel, E. B.: Adiponecrosis neonatorum, 113
Chick embryo antigen (lygranum) test for lymphogranuloma venereum; clinical investigation, *379
Granuloma inguinale; late latent syphilis, 112
Gumma of upper lip, lower right eyelid and hard palate, 118
Pemphigus vulgaris or dermatitis herpetiformis, 114
Tertiary syphilis; athropathy of hands and wrists with multiple areas of cystic degeneration of bone, 117
Hemangiectasis, Parkes Weber syndrome; hemangiectatic hypertrophy, 449
Hemangioma, cavernous, of scalp treated by interstitial irradiation with low intensity radium needles, 573
Hemopoietic System, Diseases: See Anemia; Leukemia; etc.
Henington, V. M.: Complications of antisyphilitic therapy in pregnancy, *83

Henning, H. B.: Blood level and excretion of arsenic following single injections of clorarsen, *297
Henningsen, A. B.: Acanthosis nigricans of juvenile type, mild diabetes and obesity, 468
Kaposi's sarcoma, 466
Pemphigus vulgaris, 469
Herpes, effect of temperature on growth and survival of myxoma, herpes and vaccinia viruses in tissue culture, 542
zoster, case for diagnosis, 227, 450
zoster oticus treated with omnadin, 546
zoster, paresis following, 314
zoster traumaticus, *581
zoster with scarring and alopecia in 8 year old boy, 667
Hetreed, F. W.: Amyloidosis cutis, 224
Erythema induratum (?), 334
Fixed type of toxic erythema, 462
Lupus vulgaris, 340
Urticaria pigmentosa; early syphilis (?), 460
Hidradenitis: See Sweat Glands
Hinton Test: See Syphilis
Histoplasmosis, specific cutaneous reactions with histoplasmosis; preliminary report of another case, 97
Hodgkin's Disease, ulcerative, 104
with cutaneous manifestations, 106
with specific lesions appearing first in skin, 660
Hollander, A.: Allergic dermatitis caused by hair lacquer products, *656
Acanthosis nigricans; is it form of avitaminosis? *650
Hookworm Infection, severe tropical ulcer, *414
Hormones: See Androgens; Estrogens; etc.
Horns, cutaneous; porokeratosis (Mibelli) associated with cutaneous horn, dystrophy of nails and atrophy of interosseous muscles; report of case, *50
cutaneous, with prickle cell epithelioma, 567
Houston, M.: Vitiligo, *400
Howell, J. B.: Evaluation of measures for prevention of ivy dermatitis, *373
Hu, C. K.: Variations in cutaneous manifestations of vitamin A deficiency from infancy to puberty, *1
Hubler, W. R.: Amebiasis cutis, 571
Chick embryo antigen (lygranum) test for lymphogranuloma venereum; clinical investigation, *379
Favus of glabrous skin and mucous membranes or moniliasis of skin and mucous membranes, 119
Gumma of mouth with pseudoepitheliomatous hyperplasia, seborrheic dermatitis or psoriasiform parakeratosis of skin, 574
Localized scleroderma, 568
Rhinophyma, 570
Hydroa aestivale; photosensitization dermatitis (hydroa aestivale or allergic dermatitis), 325
Hydrocystoma, experimentally induced disappearance and reappearance of lesions of, 205
Hydrophthalmos, cutaneous nevus with buphthalmos and epilepsy, 664
Hydrotachysterol, dermatomyositis improved by oral administration of dihydrotachysterol, 429
Hydroxyphenylalanine, cutaneous melanoblasts as studied with paraffin-dopa technic, 662
Hypercholesteremia: See Blood, cholesterol
Hyperemia: See Skin, blood supply
Hyperkeratosis: See Keratosis
Hyperpigmentation: See Pigmentation
Hyperpyrexia: See under Scleroderma; Syphilis; etc.
Hypertension: See Blood pressure, high
Hyperthyroidism: See under Thyroid
Hypertrophy, hemangiectatic; Parkes Weber syndrome, 449
Hypophysis: See Pituitary Body
Hypotrichosis: See Alopecia

Ichthyosis and epidermolysis bullosa occurring simultaneously, 434
congenital ichthyosiform erythroderma, 458
vitamin A studies in cases of, *32
Icterus: See Jaundice
Immunity: See Anaphylaxis and Allergy; etc.
Impetigo contagiosa, bacteriology of, 101
contagiosa, treatment with new physical form of sulfathiazole, 97
Impotence, depression-hyposexual-alopecia syndrome, 317
Indians, American; sporotrichosis following mosquito bite; description of lesions in girl of Indian and French descent, *525
Industrial Diseases, actual causes of certain occupational dermatoses; study of 527 cases with reference to dermatoses due to mineral oils, *579
course of lectures on occupational dermatoses, 536
dermatitis in tattooed areas, 557
halowax acne ("cable rash"); cutaneous eruption in marine electricians due to certain chlorinated naphthalenes and diphenyls, *251
petroleum dermatitis; report of 2 cases, *193
second annual meeting of Consulting Staff of Dermatoses Investigations Section, 202
teaching of occupational dermatoses, *153
vitiligo of upper lip in players of wind instruments, *605
Industry and Occupations, results of questionnaire on patch tests; analysis of answers by 211 dermatologists and 55 industrial physicians, *514
Infectious Diseases: See Syphilis; etc.
Inguinal Region: See Groin
Insects: See Mosquitoes
Instruments: See Apparatus
Insulin: See also Diabetes Mellitus
hypersensitivity with desensitization; report of case, 423
Intelligence and pediculosis capitis in W. A. A. F. recruits, 318
Ions, removal of divalent cations from solution by beef heart antigens, 206
Irgang, S.: Lupus erythematosus tumidus superficialis; treatment with tuberculin; report of case, *60
Itching: See Pruritus
Ivy Poisoning: See Rhus, poisoning

Jacobi-Petges' Disease: See Poikiloderma atrophicans vasculare
Jacobson, H. P.: Photosensitization dermatitis (hydroa aestivale or allergic dermatitis), 325
Jaenicke, K.: Vitiligo in 3 siblings, *519
Jaundice, yellow dermographia, *310
Jensen, A. K.: Case for diagnosis, 475
Cheilitis solaris, 319
Erythema multiforme, 137
Jericho Boil: See Leishmaniasis
Johnson-Stevens Disease: See Erythema multiforme
Junqueira, M. A.: Traumatic marginal alopecia due to traction on hair; comparative study of alopecia liminaris frontalis of Sabouraud, *527
Juxta-Articular Nodes: See Nodes

Kahn Test: See also under Syphilis
sensitivity and specificity of Kahn reaction in temperature range from 37° C. through 56° C. with syphilitic sera with consideration of value of Kahn verification test in syphilis, 204
Kala-Azar: See Leishmaniasis
Kalz, F.: Syphilitic juxta-articular nodules, *626
Kampmeier, R. H.: Blood level and excretion of arsenic following single injections of clorarsen, *297
Kaposi's Sarcoma: See Sarcoma
Keil, H.: Contact dermatitis due to resin-finished facing in cotton underwear, 95
Dermatitis due to nail polish; report of 2 cases, with experimental studies, *612
Keloid, 470. See also Cicatrix
case of keloids of unusual size, *411
extensive postacne keloids, 431
neurofibromatosis of palms and wrists, 246
Kennedy, C. B.: Complications of antisyphilitic therapy in pregnancy, *83
Keratoderma: See Keratosis
Keratosis: See also Ichthyosis
arsenical; arsenical epitheliomas, 681
arsenical, of palms and soles, 138
arsenical pigmentation and hyperkeratosis, 547
arsenical pigmentation and keratoses, 458
dyskeratosis bullosa (so-called benign familial pemphigus), 217
dyskeratosis congenita with pigmentation, dystrophia unguis and leukokeratosis oris (Cole and others), 560

Keratosis—Continued
follicularis; study of 4 cases, *143
follicularis; vitamin A studies in cases of keratosis follicularis (Darier's disease), *17
gumma of mouth with pseudoepitheliomatous hyperplasia, seborrheic dermatitis or psoriasiform parakeratosis of skin, 574
keratoderma climactericum, 683
keratoderma climactericum (Haxthausen); hypoestrogenic keratodermatitis, *270
pagetoid epithelioma (scrotum); arsenical keratoses (palms and soles), 319
porokeratosis (Mibelli) associated with cutaneous horn, dystrophy of nails and atrophy of interosseous muscles; report of case, *50
seborrheic, and multiple benign cystic epithelioma, 102
seborrheic, with epithelioma, 567
variations in cutaneous manifestations of vitamin A deficiency from infancy to puberty, *1
Kesler, R. L.: Erythema nodosum or erythema induratum, 445
Kesten, B. M.: Neurofibromatosis of palms and wrists; keloids, 246
Kingsbury, J.: Melanoma, 555
Klauder, J. V.: Actual causes of certain occupational dermatoses; study of 527 cases with reference to dermatoses due to mineral oils, *579
Teaching of occupational dermatoses, *153
Kline Test: See under Syphilis
Knee, neurogenic arthropathy of left knee and ankle; gumma of left ankle; juxta-articular nodules due to syphilis; atrophic arthritis, 116
post-traumatic degeneration and hyperplasia, 135
Knoll, M.: Multiple idiopathic hemorrhagic sarcoma, 135
Kraurosis: See Vulva
Krause, M. E.: Adiponecrosis neonatorum, 113
Chick embryo antigen (lygranum) test for lymphogranuloma venereum; clinical investigation, *379
Granuloma inguinale; late latent syphilis, 112
Gumma of upper lip, lower right eyelid and hard palate, 118
Pemphigus vulgaris or dermatitis herpetiformis, 114
Tertiary syphilis; arthropathy of hands and wrists with multiple areas of cystic degeneration of bone, 117

Labia Majora: See Vulva
Lacquer, acute dermatitis due to hair lacquer, 540
allergic dermatitis caused by hair lacquer products, *656
Nail Lacquer: See Cosmetics
Larynx, diseases; specific cutaneous reactions with histoplasmosis; preliminary report of another case, 97
Laymon, C. W.: Arsenical keratoses; arsenical epitheliomas, 681
Lichen sclerosus et atrophicus, 681
Lead poisoning caused by plaster of lead oleate (diachylon), 661
Leavitt, H.: Lupus vulgaris, 242
Lecithin: See Psoriasis
Lectures, course on occupational dermatoses, 536
Legs: See also Extremities; Foot
gummas of leg with syphilis of bones, 242
Ulcers: See Ulcers
Leiomyoma, 248
multiple cutaneous leiomyoma, 114
Leishmaniasis, oral pharyngeal leishmaniasis treated with pentamidine; 2 cases, 314
vaccination against Jericho boil, 314
Leprosy, chaulmoogra oil in treatment, 313
correlation of its clinical, pathologic, immunologic and bacteriologic aspects, 423
lepra; case for diagnosis, 557
Leukemia, exfoliative dermatitis with leukemoid blood picture indistinguishable from lymphatic leukemia, *42
lymphatic, and idiopathic hemorrhagic sarcoma, 566
lymphatic, chronic (cutaneous leukemid), 671
Leukemid: See Leukemia, lymphatic
Leukocytes: See Leukemia; etc.
Leukoderma: See Vitiligo
Leukokeratosis: See Keratosis
Leukopathia: See Vitiligo
Levin, A. A.: Pityriasis rubra pilaris of familial type; experiences in therapy with carotene and vitamin A, *288
Levin, B.: Cutaneous tests with hen's egg white fractions in atopic infantile eczema, *258
Lewis, G. M.: Erythema multiforme or dermatitis factitia, 679
Erythema nodosum; case for diagnosis, 436
Erythema nodosum (cold), 440
Lichen nitidus, 442
Myxomatous degeneration; synovial cysts, 436
Neurotic excoriations, 550
Pustular psoriasis; case for diagnosis, 678
Lewisite: See Gas, poisoning
Libman-Sacks Disease, urinary sediment in visceral angiitis (periarteritis nodosa, lupus erythematosus, Libman-Sacks "disease"), 422
Lice: See Pediculosis
Lichen: lichenoid exudative discoid dermatitis, 668
nitidus, 442
pigmented purpuric lichenoid dermatitis, 467
planus, 103, 104, 451
planus atrophicus, 472
planus, chronic recurring, 349
planus, dermatitis medicamentosa (gold) or peripheral neuritis, 547
planus et atrophicus (folliculitis decalvans and lichen spinulosus, Little and McCafferty), 669
planus linearis, 680
planus, moniliasis or tinea versicolor, 561
planus, pityriasis rosea or eczema, 439
planus; plastic induration of penis (Peyronie's disease), 121
planus, recurrent, 447
planus with atrophy (?), 334
planus with recurrent attacks associated with exacerbations of hyperthyroidism, 446
ruber planus; effect of certain vehicles and of salt solutions on reactive hyperemia in skin; application in case of lichen ruber planus, 545
sclerosus et atrophicus, 115, 430, 433, 681
spinulosus; lichen planus et atrophicus (folliculitis decalvans and lichen spinulosus, Little and McCafferty), 669
striatus; case for diagnosis, 449
Urticatus: See Urticaria papulosa
Lichenification: See Neurodermatitis
Light, cheilitis solaris, 319
photodynamic effects in dermatology, 660
photosensitization dermatitis (hydroa aestivale or allergic dermatitis), 325
solar urticaria, 229
studies in abnormal human sensitivity to light; passive transfer of light hypersensitivity in prurigo aestivalis, 543
studies in abnormal human sensitivity to light; photoallergic concept of prurigo aestivalis, 543
studies in abnormal human sensitivity to light; prurigo aestivalis, eczema solare and urticaria photogenica; report of 17 cases and review of literature; light sensitivity in prurigo aestivalis, eczema solare and urticaria photogenica; report of experiments, 206
sunburn and para-aminobenzoic acid, 661
Lindsay, H. C. L.: Multiple chancriform lesions of penis, 474
Parapsoriasis, 473
Toxic dermatitis due to ergot, 134
Lingua: See Tongue
Linseed oil dermatitis, *597
Lipids: See Lipoids
Lipoidosis: See Lipoids; Xanthoma
Lipoids: See also Cholesterol; Fat
new form of localized lipoidosis; granuloma cholesterinicum subcutaneum, 544
Lipoma-like basal cell epithelioma, *176
Lips, cancer, results of irradiation treatment; analysis of 636 cases from 1926-1936, 100
cheilitis seborrheica and seborrheic dermatitis of scalp, 136
cheilitis solaris, 319
elephantiasis of vulva of undetermined cause; furrowed tongue; perlèche, 221
gumma of upper lip, lower right eyelid and hard palate, 118
lupus erythematosus of, 356

Lips—Continued
prickle cell epithelioma of lip in young woman, 139
psoriasis (resistant); perlèche; scrotal tongue, 460
vitiligo of upper lip in players of wind instruments, *605
Livedo reticularis, 127
reticularis (syphilis), 216
Loewinsohn, E.: Lichen striatus; case for diagnosis, 449
Monilias; case for diagnosis, 455
Lowenfish, F. P.: Tuberculosis of cutis and hypoderm associated with genitourinary tuberculosis and chronic pulmonary tuberculosis, 249
Ludueña, F. P.: Intravenous administration of sobisminol solution; toxicity in normal and in syphilitic rabbits, *35
Luetin Test: See under Syphilis
Lungs, Tuberculosis: See Tuberculosis, pulmonary
Luotest: See under Syphilis
Lupoid: See Sarcoidosis
Lupus: See also Tuberculosis
erythematosus, 222, 472
erythematosus, acute disseminated, 122
erythematosus, acute disseminated, arrested, 344
erythematosus, acute disseminated, medical aspects of, 207
erythematosus, acute, nature of, 207
erythematosus and pulmonary tuberculosis, 103
erythematosus; case for diagnosis, 109, 323, 331, 457
erythematosus disseminatus subacutus, 452
erythematosus, erythema perstans or erythema elevatum diutinum, 337
erythematosus in young child, 330
erythematosus of eyelids, 233, 339
erythematosus of face associated with nodular infiltrations of back, 577
erythematosus of lips, 356
erythematosus or circumscribed scleroderma, 569
erythematosus or sycosis vulgaris, 675
erythematosus timidus superficialis; treatment with tuberculin; report of case, *60
erythematosus, urinary sediment in visceral angiitis (periarteritis nodosa, lupus erythematosus, Libman-Sacks "disease"), 422
vulgaris, 137, 242, 340
vulgaris hypertrophicus, 549
vulgaris with pulmonary tuberculosis, 219
Lygranum: See Lymphogranuloma Venereum
Lymph Nodes: See also Leukemia, lymphatic; etc.
dermatopathic lymphadenitis; focal granulomatous lymphadenitis associated with chronic generalized skin disorders, 206
exfoliative dermatitis with leukemoid blood picture indistinguishable from lymphatic leukemia, *42
sporotrichosis; localized lymphatic type, 578
Lymphadenitis: See Lymph Nodes
Lymphangioma circumscriptum, 441
Lymphedema: See Elephantiasis; Penis
Lymphoblastoma, 214
case for diagnosis, 140, 335
or mycosis fungoides, 234
or psoriasis, 328
resembling neurodermatitis, 437
Lymphogranuloma, Hodgkin's: See Hodgkin's Disease
Inguinale: See Granuloma inguinale; Lymphogranuloma Venereum
Schaumann's: See Sarcoidosis
Lymphogranuloma Venereum, bubonulus in granuloma inguinale, *494
chick embryo antigen (lygranum) test, 659
chick embryo antigen (lygranum) test; clinical investigation, *379
complement fixation for lymphogranuloma venereum and for psittacosis with Frei reactions among pneumonia patients, 541
complement fixation test for; results obtained with its use, *619
evaluation of yolk sac antigen for Frei test, 421
further evidence concerning specificity of lymphogranuloma venereum complement-fixation test in syphilis, 421
granuloma inguinale, lymphogranuloma venereum or tuberculosis, 351
Lymphogranuloma Venereum—Continued
in children, 546
visible forms and possible life cycle of virus, 818
Lymphopathia Venereum: See Lymphogranuloma Venereum
Lynch, F. W.: Epidermolysis bullosa hereditaria, 685
Keratoderma climactericum (Haxthausen); hypoestrogenic keratodermatitis, *270

Machacek, G. F.: Chronic lymphatic leukemia (cutaneous leukemid), 671
Orthostatic lymphedema of penis and scrotum, 670
McNary, R. R.: Acquired hypersensitivity to chlorinated ethylamine vesicants; report of case, *15
Apparatus for application of irritant vapors to skin, *173
Madden, J. F.: Erythema induratum, 103
Erythema induratum and advanced pulmonary tuberculosis; case for diagnosis, 103
Lichen planus, 103
Lichen urticatus, 102
Lupus erythematosus and pulmonary tuberculosis, 103
Urticaria pigmentosa, 102
Majocchi's Disease: See Purpura annularis telangiectodes
Mango, dermatitis venenata caused by smoke, 425
Manting, G.: Sporotrichosis following mosquito bite; description of lesions in girl of Indian and French descent, *525
Mantoux Reaction: See Tuberculosis
Mapharsen: See Arsenic and Arsenic Compounds; Syphilis
Medicine, Military: See Military Medicine
Melanin: See also Melanoma; Pigmentation
pigmentation; cutaneous melanoblasts as studied with paraffin-dopa technic, 662
pigmentation; melanosis of unusual type, 456
Melanoblasts: See Melanin, pigmentation
Melanoma, 555
nevus, melanoma or onychomycosis, 134
Melanosis: See Melanin, pigmentation
Meningitis: See also Meningococci
cutaneous blastomycosis complicated by, *88
Meningococci: See also Meningitis
infection, skin manifestations of, 662
Menopause, effect of estradiol and diethylstilbestrol on atrophic human buccal mucosa, with preliminary report on use of estrogen in management of senile gingivitis, 424
keratoderma climactericum, 683
Mental Diseases: See also Neuroses and Psychoneuroses
Alexander Samoilovich Rosenblium; his contribution to fever therapy, *52
Mercury, peculiar marginal blepharitis (due to yellow oxide of mercury), 433
persistent blepharitis (due to yellow mercuric oxide), 108
persistent marginal blepharitis (due to yellow mercuric oxide), 443
Metacresyl Acetate: See Mycosis
Metals: See also Mercury; etc.
phenomenon of "black dermographism," 97
Mibelli's Disease: See Keratosis
Michelson, H. E.: Aleukemic reticuloendotheliosis, 683
Dystrophy of nails, 684
Raynaud's disease and generalized progressive scleroderma, 682
Michelson, W.: Perifolliculitis capitis abscendens et suffodiens, 226
Microsporosis; microsporon infection of palpebral and ciliary regions, *65
Military Medicine: See also Gas, poisoning; Recruits; etc.
control of venereal disease in army, 101
epidermolysis bullosa; report of case, *159
military dermatology, 99
preliminary intensive treatment of primary syphilis by daily injection of arsenicals, 204
skin diseases in war, 317
treatment of scabies in wartime, *370
Milium, Colloid: See Skin, colloid degeneration
Miller, E. M.: Sporotrichosis, 240
Miller, J. L.: Leiomyoma, 248
Syphilitic gumma of eye, 672

Mineral Oil: See Petrolatum, liquid
Mirsky, I. A.: Production of bullae in skin of duck; experiments with bullae produced by vesicants, *616
Production of bullae in skin of duck; preliminary report, *161
Miskjian, H. G.: Lupus erythematosus of face associated with nodular infiltrations of back, 577
Mistletoe, dermatitis venenata due to, *416
Mitchell, J. H.: Amyloidosis cutis, 224
Chronic recurring lichen planus, 349
Erythema induratum (?), 334
Erythema nodosum or erythema induratum, 445
Fixed type of toxic erythema, 462
Lupus vulgaris, 340
Mycosis fungoides, 353
Mycosis fungoides; case for diagnosis, 214
Report of cultures of sporotrichosis, 341
Sporotrichosis, 240
Tetryl dermatitis, 346
Urticaria pigmentosa; early syphilis (?), 460
Molds: See Fungi
Moles: See Nevi
Molluscum contagiosum; virus diseases of skin with reference to elementary and inclusion bodies; variola-vaccinia and molluscum contagiosum, *635
Moniletbrix: See Hair, abnormalities
Moniliasis, case for diagnosis, 455
favus of glabrous skin and mucous membranes or moniliasis of skin and mucous membranes, 119
lichen planus, moniliasis or tinea versicolor, 561
Monochlormercuricarvacrol, inhibitory effect of monochlormercuricarvacrol on growth of pathogenic fungi, *497
Montgomery, A. H.: Massive angioma cavernosum treated with solid carbon dioxide, 670
Montgomery, H.: Histopathologic study of psoriasis, *479
Moore, M.: Sporotrichosis following mosquito bite; description of lesions in girl of Indian and French descent, *525
Morphea: See Scleroderma
Mosquitoes, severe tropical ulcer, *414
sporotrichosis following mosquito bite; description of lesions in girl of Indian and French descent, *525
Mouth: See also Gums; Stomatitis; etc.
beneficial effect of smallpox vaccine on recurrent aphthous ulcers of mouth and tongue, *151
dyskeratosis congenita with pigmentation, dystrophia unguis and leukokeratosis oris (Cole and others), 560
effect of estradiol and diethylstilbestrol on atrophic human buccal mucosa, with preliminary report on use of estrogen in management of senile gingivitis, 424
gumma of mouth with pseudoepitheliomatous hyperplasia, seborrheic dermatitis or psoriasiform parakeratosis of skin, 574
oral pharyngeal leishmaniasis treated with pentamidine; 2 cases, 314
pemphigus improving with acetarsone therapy, 457
prosthetic ulcer of, 314
tuberculosis orificialis, 235
Mucous Membrane: See also Lips; Mouth; Nose; etc.
favus of glabrous skin and mucous membranes or moniliasis of skin and mucous membranes, 119
Music, vitiligo of upper lip in players of wind instruments, *605
Mycobacterium Leprae: See under Leprosy
Mycosis: See also Actinomycosis; Blastomycosis; Moniliasis; Nails; Ringworm; Tinea; etc.
cutaneous; practical plan for treatment of superficial fungus infections, 313
fungoides, 214, 215, 245, 353, 428
fungoides in tumor stage, 214
fungoides of chest with parapsoriasis en plaques of body, 427
fungoides or acrodermatitis chronica atrophicans with fibrous nodules, 126
fungoides or lymphoblastoma, 234
fungoides; report of case, with clinical, postmortem and experimental observations, *179
Mycosis—Continued
fungoides resembling urticaria pigmentosa, 132
fungoides with bullous lesions; report of case resistant to roentgen and arsenical therapy; effects of empiric therapy, partly based on laboratory investigations, *359
treatment of otomycosis, 660
Myoblastoma, so-called, 348
Myoma, case for diagnosis, 564
Myositis; polymyositis, 422
Myxedema, elephantiasic papulonodular myxedema, *70
localized, 123, 124, 247
Myxoma, effect of temperature on growth and survival of myxoma, herpes and vaccinia viruses in tissue culture, 542
myxomatous degeneration; synovial cysts, 436

Nails, changes in finger nails in pulmonary tuberculosis, *306
dyskeratosis congenita with pigmentation, dystrophia unguis and leukokeratosis oris (Cole and others), 560
dystrophy of, 684
nevus, melanoma or onychomycosis, 134
Polish: See Cosmetics
porokeratosis (Mibelli) associated with cutaneous horn, dystrophy of nails and atrophy of interosseous muscles; report of case, *50
simplified method for staining fungi in skin and in nails, *533
subungual purpura due to neo-synephrin nose drops, 213
Nares: See Nose
National Formulary, plaint, plea and proposal, 200
Necrobiosis Lipoidica Diabeticorum: See Skin, diseases
Necrosis: See under Fat
Negroes, chronic scarring pseudofolliculitis of Negro beard, 312, 539
traumatic marginal alopecia due to traction on hair; comparative study of alopecia liminaris frontalis of Sabouraud, *527
Nelson, N.: Production of bullae in skin of duck; experiments with bullae produced by vesicants, *616
Neoarsphenamine: See Arsphenamines; and under names of various diseases, as Syphilis; etc.
Neocalamine and calamine, 1942, *369
Neoplasms: See Cancer; Sarcoma; Tumors
Neo-Synephrin: See under Nose
Nerves: See Neuritis; Paralysis
Netherton, E. W.: Acrodermatitis chronica atrophicans with fibrous nodules or mycosis fungoides, 126
Acute disseminated lupus erythematosus, 122
Circumscribed scleroderma or lupus erythematosus, 569
Drug-resistant late secondary syphilis, 122
Livedo reticularis, 127
Localized myxedema, 123, 124
Migrating thrombophlebitis following gonorrhea and medication with sulfonamide drugs, 128
Sporotrichosis; localized lymphatic type, 578
Syphilis or papulonecrotic tuberculid, 127
Neuhauser, I.: Foreign body reaction; case for diagnosis, 448
Neuritis, peripheral, lichen planus or dermatitis medicamentosa (gold), 547
Neurodermatitis resembling lymphoblastoma, 437
Neurofibromatosis of palms and wrists; keloids, 246
von Recklinghausen's disease with involvement of scalp, palms and soles; report of case, *656
Neuroses and Psychoneuroses: See also Mental Diseases; etc.
actinomycosis or neurotic excoriations, 550, 562
dermatitis factitia, neurotic excoriations or tuberculids, 218
localized dermatitis herpetiformis or neurotic excoriations, 237
neurotic excoriations, 550
trichotillomania, 227
Nevi, basal cell epithelioma with pigment, secondary to pigmented nevus, 226
cutaneous, with buphthalmos and epilepsy, 664

Nevi—Continued
melanoma, nevus or onychomycosis, 134
moles and malformations of skin, 208
pigmentosus, unusual form of, 228
Vascular: See Angioma
New and Nonofficial Remedies, plaint, plea and proposal, 200
Newborn Infants: See Infants, newborn
Newton, B. L.: Syphilitic juxta-articular nodules, *626
Neymann, C. A.: Alexander Samoilovich Rosenblium; his contribution to fever therapy, *52
Nicholas, L.: Necrobiosis lipoidica diabeticorum with xanthoma cells; report of case, *606
Nicolas-Favre Disease: See Lymphogranuloma Venereum
Nicotinic Acid: See also Vitamins, B
and aphthous stomatitis, 664
Nikolsky's Test: See Pemphigus
Nitroaniline; tetryl dermatitis, 346
Nodes: See also Erythema nodosum; etc.
acrodermatitis chronica atrophicans with fibrous nodules or mycosis fungoides, 126
cutaneous and subcutaneous nodules with juxta-articular infiltrations and rheumatoid symptoms, 425
juxta-articular, of elbows and palms, 130
lupus erythematosus of face associated with nodular infiltrations of back, 577
neurogenic arthropathy of left knee and ankle; gumma of left ankle; juxta-articular nodules due to syphilis; atrophic arthritis, 116
syphilitic juxta-articular nodules, *626
Nomland, R.: Elephantiasis of vulva of undetermined cause; furrowed tongue; perlèche, 221
Treatment of acne vulgaris with comedos by monoterminal electrodesiccation, *302
Norris, C. B.: Favus of glabrous skin and mucous membranes or moniliasis of skin and mucous membranes, 119
Nose, infiltrating basal cell epithelioma, 567
rhinophyma, 570
seborrheic keratosis with epithelioma, 567
subungual purpura due to neo-synephrin nose drops, 213
Nostrums, plaint, plea and proposal, 200

Obermayer, M. E.: Early localized scleroderma; case for diagnosis, 322
Pityriasis lichenoides acuta (Haberman), not varioliform, 321
Post-traumatic degeneration and hyperplasia, 135
Schematic classification of animal organisms causing dermatologic diseases, *512
Obesity, acanthosis nigricans of juvenile type and mild diabetes, 468

OBITUARIES:
Butler, John, 536
Satenstein, David Lawrence, 91
Sellei, Joseph, 537

Occupational Diseases: See Industrial Diseases
Occupations: See Industry and Occupations
O'Farrell, N. M.: Dermatitis venenata due to mistletoe, *416
Oil, Chaulmoogra: See Leprosy
Linseed: See Linseed oil
Mineral: See Petrolatum, liquid
Ointments: See also Rhus, poisoning; Skin, diseases
studies on local action of salicylic acid plus sulfur from various ointment bases, *384
studies on ointments containing resorcinol, *393
studies on penetration of sulfonamides into skin; penetration of sulfonamides from various ointment bases into intact skin of guinea pigs; new method of analysis of tissue sulfonamides, 420
Old Age, effect of estradiol and diethylstilbestrol on atrophic human buccal mucosa, with preliminary report on use of estrogen in management of senile gingivitis, 424
eczema and pruritus in aged, 99
O'Leary, P. A.: Fixed drug eruption produced by diphenylhydantoin sodium, *413
Oleoresin: See Rhus, poisoning
Oliver, E. A.: Amyloidosis of skin, 337
Colloid milium; case for diagnosis, 454
Granuloma inguinale, lymphogranuloma venereum or tuberculosis, 351
Localized dermatitis herpetiformis or neurotic excoriations, 237
Lupus erythematosus of eyelids, 233
Lupus vulgaris with pulmonary tuberculosis, 219
Mycosis fungoides, 215
Necrobiosis lipoidica diabeticorum, 226
Rosacea-like tuberculid of Lewandowsky, 333
Subungual purpura due to neo-synephrin nose drops, 213
Tuberculosis orificialis, 235
Vascular disease; case for diagnosis, 353
Omens, D. V.: Case for diagnosis, 227
Fixed type of toxic erythema, 462
Lichen striatus; case for diagnosis, 449
Livedo reticularis (syphilis), 216
Moniliasis; case for diagnosis, 455
Perifolliculitis capitis abscendens et suffodiens, 226
Psoriasis (resistant); perlèche; scrotal tongue, 460
Recurrent lichen planus, 447
Rosacea-like tuberculid of Lewandowsky; case for diagnosis, 463
Omens, H. D.: Case for diagnosis, 227
Lichen striatus; case for diagnosis, 449
Livedo reticularis (syphilis), 216
Moniliasis; case for diagnosis, 455
Perifolliculitis capitis abscendens et suffodiens, 226
Psoriasis (resistant); perlèche; scrotal tongue, 460
Recurrent lichen planus, 447
Rosacea-like tuberculid of Lewandowsky; case for diagnosis, 463
Omnadin: See Herpes zoster oticus
Onychia: See Nails
Onychodystrophy: See Nails
Onycholysis: See Nails
Onychomycosis: See Nails
Oppenheim, M.: Lupus erythematosus, erythema perstans or erythema elevatum diutinum, 337
Treatment of scabies in wartime, *370
Ormsby, O. S.: Lymphoblastoma, 214
Sarcoidosis, 223
Otsuka, M.: Arthropathic pustular psoriasis, 224
Bowen's disease, 213
Chronic undermining and burrowing ulcer (Meleney), 341
Erythema induratum; case for diagnosis, 212
Lichen planus with recurrent attacks associated with exacerbations of hyperthyroidism, 446
Lupus erythematosus disseminatus subacutus, 452
Mycosis fungoides in tumor stage, 214
Perifolliculitis capitis abscendens et suffodiens, 226
Rosacea-like tuberculid of Lewandowsky; case for diagnosis, 463
Schönlein's purpura or rickettsial infection, 464
Virus diseases of skin with reference to elementary and inclusion bodies; variola-vaccinia and molluscum contagiosum, *635
Oxidase and Peroxidase, peculiar pigmentation following injection of tyrosinase in vitiligo, 110

Paget's Disease: See Vulva
Palate, gumma of upper lip, lower right eyelid and hard palate, 118
Palsy: See Paralysis
Paracoccidioides: See Blastomycosis
Paralysis: See also Extremities, paralysis; etc.
facial; herpes zoster oticus treated with omnadin, 546
Parapsoriasis, 320, 338, 444, 473, 684
mycosis fungoides of chest with parapsoriasis en plaques of body, 427
pityriasis lichenoides acuta (Haberman), not varioliform, 321
Parasites, schematic classification of animal organisms causing dermatologic diseases, *512
Park, R. G.: Hyperhidrosis of feet, 538
Parkes Weber Syndrome: See Hemangiectasis
Patch Test: See Anaphylaxis and Allergy
Peck, S. M.: Vitamin A studies in cases of ichthyosis, *32
Vitamin A studies in cases of keratosis follicularis (Darier's disease), *17

Pediculosis capitis and intelligence in W. A. A. F. recruits, 318
Pemphigus: See also Epidermolysis bullosa
diabetes; pemphigus, 555
dyskeratosis bullosa (so-called benign familial pemphigus), 217
electrolyte content of blister fluid in, 543
erythematosus, 232, 330
foliaceus, 105
of mouth improving with acetarsone therapy, 457
vulgaris, 469
vulgaris-like eruption following use of sulfonamide compounds, 562
vulgaris or dermatitis herpetiformis, 114
Penicillin, clinical use of, 100
Penis, lichen planus; plastic induration of penis (Peyronie's disease), 121
multiple chancriform lesions on, 474
orthostatic lymphedema of penis and scrotum, 670
Pensky, N.: Bubonulus in granuloma inguinale, *494
Exfoliative dermatitis secondary to psoriasis; case for diagnosis, 667
Gummas of leg with syphilis of bones, 242
Halowax acne ("cable rash"); cutaneous eruption in marine electricians due to certain chlorinated naphthalenes and diphenyls, *251
Sarcoid of Boeck with unusual findings; case for diagnosis, 244
Pentamidine: See Leishmaniasis
Periarteritis nodosa, 546
nodosa; urinary sediment in visceral angiitis (periarteritis nodosa, lupus erythematosus, Libman-Sacks "disease"), 422
Perifolliculitis capitis abscendens et suffodiens, 226
Perlèche: See under Lips
Perniosis: See Chilblains
Perspiration: See under Sweat Glands
Petrolatum, liquid; actual causes of certain occupational dermatoses; study of 527 cases with reference to dermatoses due to mineral oils, *579
Petroleum dermatitis; report of 2 cases, *193
Peyronie's Disease: See Penis
Phagocytes and Phagocytosis: See also Reticuloendothelial System
histopathologic study of mode of action of sulfapyridine, 541
Phalanges: See Fingers and Toes
Pharmacopeia of United States, plaint, plea and proposal, 200
Pharynx, syphilitic gumma of, 247
Phenyl Compounds, halowax acne ("cable rash"); cutaneous eruption in marine electricians due to certain chlorinated naphthalenes and diphenyls, *251
Phenytoin, fixed drug eruption produced by diphenylhydantoin sodium, *413
Phialophora: See Fungi
Photosensitization: See under Light
Phthirus Pubis: See Pediculosis
Piedra: See Hair, diseases
Pigmentation: See also Hair; Melanin; Nevi; Schamberg's Disease; etc.
and atrophy of tissues, 666
arsenical, and hyperkeratosis, 547
arsenical, and keratoses, 458
basal cell epithelioma with pigment, secondary to pigmented nevus, 226
case for diagnosis, 227
dyskeratosis congenita with pigmentation, dystrophia unguis and leukokeratosis oris (Cole and others), 560
peculiar pigmentation following injection of tyrosinase in vitiligo, 110
Pink Disease: See Acrodynia
Pinkus, H.: Chronic scarring pseudofolliculitis of Negro beard, 539
Pinta; review of recent etiologic and clinical studies, 420
White: See Vitiligo
Pituitary Body, elephantiasic papulonodular myxedema, *70
Pityriasis, Lichenoides: See Parapsoriasis
rosea, lichen planus or eczema, 439
rubra pilaris, 351
ruba pilaris of familial type; experiences in therapy with carotene and vitamin A, *288
Versicolor: See Tinea versicolor
Plants: See also under names of plants, as Mango; Rhus, poisoning; Tobacco; etc.
Plumbism: See Lead poisoning
Pneumococci, histopathologic study of mode of action of sulfapyridine, 541
Pneumonia, complement fixation for lymphogranuloma venereum and for psittacosis with Frei reactions among pneumonia patients, 541
Poikiloderma atrophicans vasculare (Jacobi), 575
or atrophy of skin, 463
Poison Ivy: See Rhus, poisoning
Poisons and Poisoning: See under names of substances, as Gas; Lead; Mercury; etc.
Polyarteritis Nodosa: See Periarteritis nodosa
Polycythaemia vera accompanied by acne urticata polycythemica and loss of directional power in fingers of left hand, 430
Polymyositis: See Myositis
Popper, H.: Mosaic fungus; cholesterol intercellular artefact, *282
Population, incidence of psoriasis among population at large, *305
Poradenitis: See Lymphogranuloma Venereum
Position: See Posture
Posture, orthostatic lymphedema of penis and scrotum, 670
Powder, phenomenon of "black dermographism," 97
Pregnancy, complications of antisyphilitic therapy in, *83
Protozoa, schematic classification of animal organisms causing dermatologic diseases, *512
Prurigo, studies in abnormal human sensitivity to light; passive transfer of light hypersensitivity in prurigo aestivalis, 543
studies in abnormal human sensitivity to light; photoallergic concept of prurigo aestivalis, 543
studies in abnormal human sensitivity to light; prurigo aestivalis, eczema solare and urticaria photogenica; report of 17 cases and review of literature; light sensitivity in prurigo aestivalis, eczema solare and urticaria photogenica; report of experiments, 206
Pruritus and eczema in aged, 99
blood cholesterol values in cases of generalized pruritis, 663
treatment of essential pruritus and kraurosis vulvae, 424
Pseudofolliculitis, chronic scarring pseudofolliculitis of Negro beard, 312, 539
Pseudomilium, colloid; review of its nomenclature and report of case, *262
Pseudoxanthoma elasticum, 675
elasticum and angioid streaks, *75
Psittacosis, complement fixation for lymphogranuloma venereum and for psittacosis with Frei reactions among pneumonia patients, 541
Psoriasis, *581
arthropathic pustular psoriasis, 224
diabetes; hypertensive cardiovascular disease; psoriasis; scleroderma, 554
erythema multiforme perstans recurrens and psoriasis of palms, 435
exfoliative dermatitis secondary to, 667
gumma of mouth with pseudoepitheliomatous hyperplasia, seborrheic dermatitis or psoriasiform parakeratosis of skin, 574
histopathologic study of, *479
incidence among population at large, *305
lecithin feeding in syndrome of psoriasis; chemical studies of relationship of lecithin feeding to fat metabolism, 544
or lymphoblastoma, 328
pustular; case for diagnosis, 678
resistant; perlèche; scrotal tongue, 460
Psychoneuroses: See Neuroses and Psychoneuroses
Psychoses: See Mental Diseases; Neuroses and Psychoneuroses
Puberty: See Adolescence
Purpura, annular, 229
annularis telangiectodes (Majocchi) and progressive pigmentary dermatosis (Schamberg), 205
Schamberg's progressive pigmentary dermatosis or hypostatic purpura, 329
Schönlein's or rickettsial infection, 464
subungual, due to neo-synephrin nose drops, 213
Pyoderma, *581
gangraenosum; phagedenic ulcer (pyoderma gangraenosum); treatment with sulfapyridine powder and moist chamber therapy, *164
sulfathiazole in treatment in infant, 664
Ulcerosum Tropicalum: See Ulcers

Quackery: See Nostrums

Races: See Negroes; etc.
Radiations: See Roentgen Rays; etc.
Therapy: See Lips, cancer
Radiodermatitis: See under Roentgen Rays
Radium, Therapy: See Hemangioma
Rake, G.: Complement fixation test for lymphogranuloma venereum; results obtained with its use, *619
Rattner, H.: Arsenical pigmentation and keratoses, 458
Lichen planus with atrophy (?), 334
Lupus erythematosus; case for diagnosis, 457
Lupus erythematosus in young child, 330
Lupus erythematosus of eyelid, 339
Recalcitrant eruption of palms, 446
Schamberg's progressive pigmentary dermatosis or hypostatic purpura, 329
Use of urea in hand creams, *47
Raynaud's Disease and generalized progressive scleroderma, 682
Reagins: See Anaphylaxis and Allergy
von Recklinghausen's Disease: See Neurofibromatosis
Recruits: See also Military Medicine
pediculosis capitis and intelligence in W. A. A. F. recruits, 318
Reif, F. B.: Prevention of ringworm of scalp in children, *533
Resin, contact dermatitis due to resin-finished facing in cotton underwear, 95
dermatitis exfoliativa following dermatitis venenata due to shorts, 676, 680
Resorcinol and Resorcinol Derivatives, studies on ointments containing resorcinol, *393
Reticuloendothelial System: See also Phagocytes and Phagocytosis
aleukemic reticuloendotheliosis, 683
Retina, blood supply; angioid streaks and pseudoxanthoma elasticum, *75
Rhinophyma, 570
Rhus, poisoning; evaluation of measures for prevention of ivy dermatitis, *373
poisoning; new base for protective ointment for prevention of poison ivy dermatitis, 313
poisoning; oral prophylaxis against poison ivy; follow-up report, 98
Ribs, cervical, and hyperhidrosis, 317
Rickettsia: See also Rocky Mountain Spotted Fever
morphologic structure of, 424
Schönlein's purpura or rickettsial infection, 464
Ringworm: See also Microsporosis; Mycosis; Tinea; etc.
experimental studies with dermatophytes; influence of age on allergic response in experimental ringworm in guinea pig, 661
inhibitory effect of monochlormercuricarvacrol on growth of pathogenic fungi, *497
microsporon infection of palpebral and ciliary regions, *65
mycoses of feet, 313
prevention of ringworm of scalp in children, *533
Ritter's Disease: See Dermatitis, exfoliative
Robinson, L. B.: Mycosis fungoides; case for diagnosis, 245
Robinson, S. S.: Lupus vulgaris, 137
Rocky Mountain Spotted Fever, morphologic structure of rickettsiae, 424
Roentgen Rays, dermatitis, 244
Therapy: See under names of organs, regions and diseases, as Epithelioma; Lips, cancer; etc.
Roll, H. C.: Multiple idiopathic hemorrhagic sarcoma, 238
Romberger, A. S.: Tetryl dermatitis, 346
Rony, H. R.: Effect of androgen on sebaceous glands of human skin, *601
Rosen, I.: Idiopathic hemorrhagic sarcoma and lymphatic leukemia, 566
Rosenbaum, M. G.: Petroleum dermatitis; report of 2 cases, *193
Rosenblium, Alexander Samoilovich; his contribution to fever therapy, *52
Rossi Test: See Syphilis
Rostenberg, A.: Acanthosis nigricans; case for diagnosis, 109
Rothman, S.: Acanthosis nigricans of juvenile type, mild diabetes and obesity, 468
Annular purpura, 229
Case for diagnosis, 236
Congenital ichthyosiform erythroderma, 458
Kaposi's sarcoma, 466
Rothman, S.—Continued
Pemphigus vulgaris, 469
Solar urticaria, 229
Vitiligo, *400
Rubin, L.: Vitiligo, *400
Rullson, R. H.: Dermatitis in tattooed areas, 557
Sporotrichosis, 556
Russo, J. J.: Dermatitis due to nail polish; report of 2 cases, with experimental studies, *612

Sachs, W.: David Lawrence Satenstein, 91
Pseudoxanthoma elasticum, 675
Sacks-Libman Disease: See Libman-Sacks Disease
Sagher, F.: Phagedenic ulcer (pyoderma gangraenosum); treatment with sulfapyridine powder and moist chamber therapy, *164
Salicyl Compounds, studies on local action of salicylic acid plus sulfur from various ointment bases, *384
Salsberg, R. H.: Dermatitis due to nail polish foundation, 419
Samitz, M. H.: Epidermolysis bullosa; report of case, *159
Sarcoidosis, 223, 552
effect of Schaumann's disease on heart and its mechanism, 546
miliary sarcoid, 223
sarcoid of Boeck with unusual findings, 244
Sarcoma: See also Cancer; Tumors; and under names of tumors
idiopathic hemorrhagic sarcoma and lymphatic leukemia, 566
Kaposi's, 466, 665
Kaposi's, of 15 years' duration, 665
multiple idiopathic hemorrhagic, 135, 238
multiple idiopathic hemorrhagic (Kaposi), 244
Saunders, T. S.: Acute dermatitis due to hair lacquer, 540
Scabies or syphilis, 453
treated with 1 application of benzyl benzoate, 317
treatment by T.E.T.M.S., 318
treatment in wartime, *370
Scalp, cavernous hemangioma treated by interstitial irradiation with low intensity radium needles, 573
Diseases: See under names of diseases, as Ringworm; Seborrhea; Tinea; etc.
myoma; case for diagnosis, 564
pediculosis capitis and intelligence in W.A. A.F. recruits, 318
prevention of ringworm of scalp in children, *533
von Recklinghausen's disease with involvement of scalp, palms and soles; report of case, *656
Scars: See Cicatrix
Schamberg's Disease, purpura annularis telangiectodes (Majocchi) and progressive pigmentary dermatosis (Schamberg), 205
Schamberg's progressive pigmentary dermatosis or hypostatic purpura, 329
Schaumann's Disease: See Sarcoidosis
Scheer, M.: Mycosis fungoides resembling urticaria pigmentosa, 132
Schmidt, F. R.: Colloid degeneration of skin (unilateral), 241
Granuloma annulare, 461
Schönlein Purpura: See under Purpura
Schorr, H. C.: Case for diagnosis, 231
Dermatitis repens, 211
Glomus tumor, 466
Mosaic fungus; cholesterol intercellular artefact, *282
Parapsoriasis; case for diagnosis, 444
Trichotiliomania, 227
Scleredema: See Scleroderma
Sclerema: See Scleroderma
Sclerodactylia: See Scleroderma
Scleroderma, circumscribed, or lupus erythematosus, 569
diabetes; hypertensive cardiovascular disease; psoriasis; scleredema, 554
early localized; case for diagnosis, 322
generalized progressive, treated with hyperpyrexia produced by electric blanket method, 568
localized, 568
morphoea guttata, 105
progressive type, 669
Raynaud's disease and generalized progressive scleroderma, 682
Scrofuloderma: See Tuberculosis

Scrotum, orthostatic lymphedema of penis and scrotum, 670
pagetoid epithelioma (scrotum); arsenical keratoses (palms and soles), 319
Scull, R. H.: Chronic recurring lichen planus, 349
Lupus vulgaris, 340
Mycosis fungoides, 214, 353
Sebaceous Glands, adenoma sebaceum treated by solid carbon dioxide, *198
effect of androgen on sebaceous glands of human skin, *601
Seborrhea, cheilitis seborrheica and seborrheic dermatitis of scalp, 136
gumma of mouth with pseudoepitheliomatous hyperplasia, seborrheic dermatitis or psoriasiform parakeratosis of skin, 574
multiple benign cystic epithelioma and seborrheic keratosis, 102
seborrheic dermatitis of eyelids and canities of eyelashes, 324
seborrheic keratosis with epithelioma, 567
Section on Dermatology and Syphilology of American Medical Association, 536
Self-Mutilation, actinomycosis or neurotic excoriations, 550, 562
dermatitis factitia, neurotic excoriations or tuberculids, 218
neurotic excoriations, 550
Selye, H.: Effect of estradiol locally applied to abnormal skin, *188
Semen, studies in transmissibility of syphilis; infectiousness of seminal fluid of men with early syphilis, 544
Senear, F. E.: Case for diagnosis, 236
Dermatitis repens, 211
Foreign body reaction; case for diagnosis, 448
Lupus erythematosus, 222, 331
Lymphoblastoma; case for diagnosis, 335
Multiple idiopathic hemorrhagic sarcoma, 238
Pityriasis rubra pilaris, 351
Senear-Usher Syndrom: Se Pemphigus
Senility: See Old Age
Septum, Nasal: See under Nose
Sesame oil tumors, 97
Sharlit, H.: Erythema multiforme perstans recurrens and psoriasis of palms, 435
Leukoderma treated with intracutaneous injections of tyrosinase enzyme, 430
Sycosis vulgaris or lupus erythematosus, 675
Vitiligo treated with tyrosinase, 438
Shelton, J. M.: Dermatitis due to nail polish foundation, *197
Shipyards: See under Industrial Diseases
Short Waves: See under names of organs and regions
Shorts: See Clothing
Silvers, S. H.: Kaposi's sarcoma of 15 years' duration, 665
Skeer, J.: Atrophy of tissues and pigmentation, 666
Hodgkin's disease with cutaneous manifestations, 106
Skeleton: See Bones
Skin: See also Dermatology
Abnormalities: See also Atrophy; Pigmentation; etc.
abnormalities; moles and malformations of skin, 208
amyloidosis of, 337
apparatus for application of irritant vapors to skin, *173
Atrophy: See Atrophy
bacterial flora of normal skin; study of effect of sulfathiazole and some ointment bases, 544
blood supply; effect of certain vehicles and of salt solutions on reactive hyperemia in skin; application in case of lichen ruber planus, 545
Cancer: See Cancer; Epithelioma; Sarcoma; etc.
colloid degeneration; colloid milium; case for diagnosis, 454
colloid degeneration (unilateral), 241
colloid pseudomilium; review of its nomenclature and report of case, *262
Diseases: See also Dermatitis; and under names of diseases, as Eczema; Herpes; Mycosis; etc.; and under names of plants and drugs, as Arsphenamines; Rhus; etc.
diseases; actual causes of certain occupational dermatoses; study of 527 cases with reference to dermatoses due to mineral oils, *579
diseases; calamine and neocalamine, 1942, *369
Skin—Continued
diseases; course of lectures on occupational dermatoses, 536
diseases; dermatopathic lymphadenitis; focal granulomatous lymphadenitis associated with chronic generalized skin disorders, 206
diseases in war, 317
diseases; necrobiosis lipoidica, 680
diseases; necrobiosis lipoidica diabeticorum, 226
diseases; necrobiosis lipoidica diabeticorum with xanthoma cells; report of case, *606
diseases; photodynamic effects in dermatology, 660
diseases; plaint, plea and proposal, 200
diseases; schematic classification of animal organisms causing dermatologic diseases, *512
diseases; second annual meeting of Consulting Staff of Dermatoses Investigations Section, 202
diseases; sulfonamide therapy in dermatology; observations in 261 cases at Bellevue Hospital, 208
diseases; teaching of occupational dermatoses, *153
disturbances in diabetes mellitus; their relation to vitamin deficiencies, 424
effect of androgen on sebaceous glands of human skin, *601
effect of estradiol locally applied to abnormal skin, *188
Gangrene: See Gangrene
Hemorrhage: See Purpura
Hodgkin's disease with cutaneous manifestations, 106
Hodgkin's disease with specific lesions appearing first in skin, 660
Inflammation: See Dermatitis
manifestations of meningococcic infection, 662
normal and injurious effects of cold on skin and underlying tissues; chilblains and allied conditions, 315
normal and injurious effects of cold on skin and underlying tissues; frostbite, 316
normal and injurious effects of cold on skin and underlying tissues; reactions to cold and injury of normal skin, 315
Pigmentation: See under Pigmentation
production of bullae in skin of duck; experiments with bullae produced by vesicants, *616
production of bullae in skin of duck; preliminary report, *161
relationship between certain physicochemical changes in cornified layer and endogenous bacterial flora of skin, 206
simplified method for staining fungi in skin and in nails, *533
studies on penetration of sulfonamides into skin; penetration of sulfonamides from various ointment bases into intact skin of guinea pigs; new method of analysis of tissue sulfonamides, 420
studies on ointments; local action of salicylic acid plus sulfur from various ointment bases, *384
Tuberculosis: See Tuberculids; Tuberculosis
Tumors: See under Tumors
Ulcers: See Ulcers
variations in cutaneous manifestations of vitamin A deficiency from infancy to puberty, *1
virus diseases of skin with reference to elementary and inclusion bodies; variola-vaccinia and molluscum contagiosum, *635
Skolnik, E. A.: Pemphigus of mouth improving with acetarsone therapy, 457
Slepyan, A. H.: Parkes Weber syndrome; hemangiectatic hypertrophy, 449
So-called myoblastoma, 348
Smallpox, beneficial effect of smallpox vaccine on recurrent aphthous ulcers of mouth and tongue, *151
effect of temperature on growth and survival of myxoma, herpes and vaccinia viruses in tissue culture, 542
virus diseases of skin with reference to elementary and inclusion bodies; variola-vaccinia and molluscum contagiosum, *635
Smith, E. M., Jr.: Blastomycosis, 236
Case for diagnosis, 338
Smith, H. A.: Treatment of scabies in wartime, *370
Smoke, dermatitis venenata caused by, 425
Smoking: See Tobacco

Sobel, N.: Bubonulus in granuloma inguinale, *494
Juxta-articular nodes of elbows and palms, 130
Sobisminol: See Bismuth and Bismuth Compounds
Sobotka, H. H.: Vitamin A studies in cases of keratosis follicularis (Darier's disease), *17
Societies, American Board of Dermatology and Syphilology, 686
Association of Military Surgeons of the United States, 94, 418
Consulting Staff of Dermatoses Investigations Section, second annual meeting, 202
dermatologic, directory of, 687
dermatologic, notice to secretaries of, 94
foreign, directory of, 687
international, directory of, 687
local, directory of, 689
national, directory of, 687
Section on Dermatology and Syphilology of American Medical Association, 536
sectional, directory of, 687
state, directory of, 688

Society Transactions:
Bronx Dermatological Society, 107
Brooklyn Dermatological Society, 105, 242, 665
Chicago Dermatological Society, 210, 328, 444
Cleveland Dermatological Society, 112, 568
Los Angeles Dermatological Society, 134, 319, 470
Manhattan Dermatologic Society, 427, 562, 673
Minnesota Dermatological Society, 102, 681
New York Academy of Medicine, Section of Dermatology and Syphilis, 129, 245, 668
New York Dermatological Society, 547

Sodium chloride; effect of certain vehicles and of salt solutions on reactive hyperemia in skin; application in case of lichen ruber planus, 545
Gold Thiosulfate: See Gold and Gold Compounds
Soil, isolation of Coccidioides from soil and rodents, 313
Solid Carbon Dioxide: See Angioma; Sebaceous Glands
Spencer, G. A.: von Recklinghausen's disease with involvement of scalp, palms and soles; report of case, *656
Spiegel, L.: Localized amyloidosis cutis, 112, 131
Secondary syphilis, 133
Spirochaeta Pallida: See Syphilis
Sporotrichosis, 240, 556, *583
following mosquito bite; description of lesions in girl of Indian and French descent, *525
localized lymphatic type, 578
or tuberculosis, 129
report of cultures of, 341
Spurr, C. L.: Solar urticaria, 229
Stains and Staining, simplified method for staining fungi in skin and in nails, *533
Staphylococci, clinical use of penicillin, 100
Stenhouse, E. E.: Lymphoblastoma (mycosis fungoides?), 234
Stern, E. C.: Lupus erythematosus of face associated with nodular infiltrations of back, 577
Steven, D.: Keratosis follicularis; study of 4 cases, *143
Stevens-Johnson Disease: See Erythema multiforme
Stilbestrol: See Estrogens
Stillians, A. W.: Blastomycosis, 236
Stomatitis, aphthous, and nicotinic acid, 664
aphthous; beneficial effect of smallpox vaccine on recurrent aphthous ulcers of mouth and tongue, *151
Strakosch, E. A.: Studies on ointments; local action of salicylic acid plus sulfur from various ointment bases, *384
Studies on ointments; ointments containing resorcinol, *393
Stratton, E. K.: Mycosis fungoides; report of case, with clinical, postmortem and experimental observations, *179
Streptococci, chronic ulcer of leg caused by microaerophilic hemolytic streptococci (Meleney), 677
microaerophilic hemolytic streptococcus infection of axillas, inguinal and perianal region, 681
Streptococci—Continued
tertiary cutaneous syphilis complicated by secondary infection, possibly by microaerophilic hemolytic streptococci, 132
Stroud, G. M., III: Cavernous hemangioma of scalp treated by interstitial irradiation with low intensity radium needles, 573
Chick embryo antigen (lygranum) test for lymphogranuloma venereum; clinical investigation, *379
Favus of glabrous skin and mucous membranes or moniliasis of skin and mucous membranes, 119
Generalized progressive scleroderma treated with hyperpyrexia produced by electric blanket method, 568
Sudoriparous Glands: See under Sweat Glands
Sulfadiazine: See Sulfonamides; Tularemia
Sulfanilamide: See under Sulfonamides
Sulfonamides, activity of sodium sulfadiazine against Bacterium tularense; effect on growth in vitro, 543
activity of sodium sulfadiazine against Bacterium tularense; treatment of experimental tularemic infection in chick embryo, 543
bacterial flora of normal skin; study of effect of sulfathiazole and some ointment bases, 544
chemotherapeutic prophylaxis with sulfonamide drugs, 420
effect of sulfonamide drugs on trichophytons in vitro, 545
fixed eruption, conjunctivitis and fever from sulfathiazole, *523
histopathologic study of mode of action of sulfapyridine, 541
hypersensitivity to, 98
mechanism of action of certain sulfonamide compounds, 542
migrating thrombophlebitis following gonorrhea and medication with sulfonamide drugs, 128
pemphigus-vulgaris-like eruption following use of sulfonamide compounds, 562
studies on penetration into skin; penetration of sulfonamides from various ointment bases into intact skin of guinea pigs; new method of analysis of tissue sulfonamides, 420
Therapy: See also Dysentery; Gonorrhea; Impetigo; Pneumococci; Pyoderma; Skin, diseases; etc.
therapy in dermatology; observations in 261 cases at Bellevue Hospital, 208
Sulfapyridine: See Pyoderma gangraenosum; Sulfonamides
Sulfathiazole: See Impetigo contagiosa; Pyoderma; Sulfonamides
Sulfur, studies on ointments; local action of salicylic acid plus sulfur from various ointment bases, *384
Sunburn: See Light
Sunlight: See Light
Sunseri, J.: Elephantiasic papulonodular myxedema, *70
Surgery, military; meeting of Association of Military Surgeons, 94, 418
Sutton, R. L., Jr.: Lipoma-like basal cell epithelioma, *176
Sutton's Disease: See Vitiligo
Sweat Glands, cervical rib and hyperhidrosis, 317
experimentally induced disappearance and reappearance of lesions of hydrocystoma, 205
hyperhidrosis of feet, 538
response to acetylcholine, 661
Sweat Shirt: See Clothing
Sweitzer, S. E.: Acrodermatitis chronica atrophicans, 682
Contact dermatitis, 685
Dermatitis herpetiformis, 684
Keratoderma climactericum, 683
Lichen planus, 104
Multiple benign cystic epithelioma, 102
Multiple benign cystic epithelioma and seborrheic keratosis, 102
Parapsoriasis, 684
Ulcerative Hodgkin's disease, 104
Swift-Selter-Feer's Disease: See Acrodynia
Sycosis vulgaris or lupus erythematosus, 675
Synovial Membrane, myxomatous degeneration; synovial cysts, 436
Syphilis: See also Chancre; Venereal Diseases; and under names of organs, regions and diseases, as Aortitis; Bones; Eyes; etc.
blood level and excretion of arsenic following single injections of clorarsen, *297

Syphilis—Continued
case for diagnosis subsequently proved to be 1 of syphilis, 453, 469
cerebral reactions associated with massive mapharsen treatment of early syphilis, 204
complications of antisyphilitic therapy in pregnancy, *83
drug-resistant late secondary syphilis, 122
early; urticaria pigmentosa, 460
false positive serologic tests in children, 208
field laboratory test of Briceño Rossi; new reaction for diagnosis of syphilis, 209
further evidence concerning specificity of lymphogranuloma venereum complement-fixation test in syphilis, 421
granuloma inguinale; late latent syphilis, 112
importance of time factor in evaluation of "cure" in syphilitic rabbits, 204
intravenous administration of sobisminol solution; toxicity in normal and in syphilitic rabbits, *35
livedo reticularis (syphilis), 216
neurogenic arthropathy of left knee and ankle; gumma of left ankle; juxta-articular nodules due to syphilis; atrophic arthritis, 116
or papulonecrotic tuberculid, 127
or scabies, 453
primary; preliminary intensive treatment by daily injection of arsenicals, 204
pulmonary fat embolism following infusions via bone marrow, 205
reinfection in, 421
removal of divalent cations from solution by beef heart antigens, 206
resistant (nonresistant in wife), *412
secondary, 133
sensitivity and specificity of Kahn reaction in temperature range from 37° C. through 56° C with syphilitic sera with consideration of value of Kahn verification test in syphilis, 204
serologic (nonsyphilitic) reaction approaching universal sensitivity, 662
studies in transmissibility; infectiousness of seminal fluid of men with early syphilis, 544
superficial nonulcerative; case for diagnosis, 452
syphilitic gumma of eye, 672
syphilitic gumma of pharynx, 247
syphilitic juxta-articular nodules, *626
tertiary; arthropathy of hands and wrists with multiple areas of cystic degeneration of bone, 117
tertiary cutaneous syphilis complicated by secondary infection, possibly by microaerophilic hemolytic streptococci, 132
Syphiloma: See Syphilis, tertiary

T. E. T. M. S.: See under Scabies
Tabes Dorsalis, intravenous thiamine chloride (vitamin B_1) in treatment of tabetic lightning pains, 204
Tattooing, dermatitis in tattooed areas, 557
Taylor, H. C.: Cutaneous blastomycosis complicated by meningitis, *88
Teaching: See Education
Tear Gas: See Gas, poisoning
Teeth, prosthetic ulcer of mouth, 314
Temperature: See also Cold
effect on growth and survival of myxoma, herpes and vaccinia viruses in tissue culture, 542
Templeton, H. J.: Resistant syphilis (nonresistant in wife), *412
Testosterone: See Androgens
Tetryl: See Nitroaniline
Thiamine: See also Vitamins, B
intravenous thiamine chloride (vitamin B_1) in treatment of tabetic lightning pains, 204
Thigh, ulcers; ulcerative Hodgkin's disease, 104
Thorax: See also Heart; Ribs; etc.
mycosis fungoides of chest with parapsoriasis en plaques of body, 427
Thrombocytopenia: See Purpura
Thrombophlebitis, migrating, following gonorrhea and medication with sulfonamide drugs, 128
Thrush: See Moniliasis
Thyroid, hyperthyroidism, lichen planus with recurrent attacks associated with exacerbations of, 446
Ticks: See Rocky Mountain Spotted Fever
Tinea: See also Ringworm
treatment with ethyl chloride, *511
versicolor, lichen planus or moniliasis, 561
Tissue: See also Cells
Adipose: See Fat
studies on penetration of sulfonamides into skin; penetration of sulfonamides from various ointment bases into intact skin of guinea pigs; new method of analysis of tissue sulfonamides, 420
Tobacco skin-reactions in peripheral vascular diseases and coronary artery disease, 206
Toe Nails: See Nails
Toes: See Fingers and Toes
Tongue, beneficial effect of smallpox vaccine on recurrent aphthous ulcers of mouth and tongue, *151
black hairy tongue, 432
elephantiasis of vulva of undetermined cause; furrowed tongue; perlèche, 221
psoriasis (resistant); perlèche; scrotal tongue, 460
Toxicodermas: See Dermatitis, venenata; Drugs, eruptions
Tragacanth, allergenic properties of vegetable gums; case of asthma due to tragacanth, 423
Traub, E. F.: Angiomas of head, 561
Paget's disease of vulva, 559
Pemphigus; diabetes, 555
Sickle cell anemia with ulcerations, 558
Tuberculid of face (rosacea-like), 555
Xanthoma tuberosum multiplex, 553
Trauma, herpes zoster traumaticus, *581
post-traumatic degeneration and hyperplasia, 135
Treponema Pallidum: See Syphilis
Trichophyton, effect of sulfonamide drugs on trichophytons in vitro, 545
Trichorrhexis Nodosa: See Hair, diseases
Trichotillomania, 227
Trinitrophenylmethylnitramine: See Nitroaniline
Tropical Medicine: See also under names of tropical diseases, as Leishmaniasis; Ulcers, tropical; etc.
Tubercle Bacilli: See also Tuberculosis
death of tubercle bacilli subjected to oxygen deprivation in presence of moisture and of warmth, 542
Tuberculids: See also under Tuberculosis
dermatitis factitia or neurotic excoriations, 218
papulonecrotic, or syphilis, 127
rosacea-like, of face, 555
rosacea-like, of Lewandowsky, 333, 463
Tuberculin: See under Tuberculosis
Patch Test: See Tuberculosis
Therapy: See Lupus erythematosus tumidus superficialis
Tuberculosis: See also Tuberculids; and under names of diseases, organs and regions, as Mouth; etc.
asphyxiated bacteria as vaccine in, 542
cutis; some types observed in Buenos Aires, 209
granuloma inguinale, lymphogranuloma venereum or tuberculosis, 351
histopathology of Mantoux reaction and erythema nodosum, 318
of cutis and hypoderm associated with genitourinary tuberculosis and chronic pulmonary tuberculosis, 249
of skin, 218
or sporotrichosis, 129
orificialis, 235
pulmonary, and lupus erythematosus, 103
pulmonary, changes in finger nails in, *306
pulmonary; erythema induratum and advanced pulmonary tuberculosis, 103
pulmonary; necrobiosis lipoidica diabeticorum with xanthoma cells; report of case, *606
pulmonary; tuberculosis of cutis and hypoderm associated with genitourinary tuberculosis and chronic pulmonary tuberculosis, 249
pulmonary, with lupus vulgaris, 219
verrucosa cutis; case for diagnosis, 231
Tularemia, activity of sodium sulfadiazine against Bacterium tularense; effect on growth in vitro, 543
activity of sodium sulfadiazine against Bacterium tularense; treatment of experimental tularemic infection in chick embryo, 543
Tulipan, L.: Localized myxedema, 247
Tumors: See also Adenoma; Angioma; Cancer; Epithelioma; Fibroma; Hemangioma; Lipoma; Lymphangioma; Lymphoblastoma; Melanoma; Myxoma; Rhinophyma; Sarcoma; etc.; and under names of organs and regions as Arms; Nose; etc.
glomus tumor, 466

Tumors—Continued
lupus erythematosus timidus superficialis; treatment with tuberculin; report of case, *60
mycosis fungoides in tumor stage, 214
Tyroglyphus Longior: See Acariasis
Tyrosinase: See Enzymes; Oxidase and Peroxidase

Ulcers: See also under names of organs and regions, as Mouth; Thigh; etc.
chronic, of leg caused by microaerophilic hemolytic streptococci (Meleney), 677
chronic undermining and burrowing ulcer (Meleney), 341
multiple extensive ulcerations of legs, 327
multiple, of skin; chronic ulcerative colitis, 551
of legs, *581
sickle cell anemia with ulcerations, 558
treatment of leg ulcers with blood and concentrated plasma, 420
tropical; pyoderma ulcerosum tropicalum, 425
tropical, severe, *414
Ultrashort Waves: See under names of organs, regions and diseases
Ultraviolet Rays: See Light
Therapy: See under names of organs, regions and diseases
Umansky, M.: Erythema palmare (red palms), 107
Underwear: See Clothing
Urea, use in hand creams, *47
Urine, urinary sediment in visceral angiitis (periarteritis nodosa, lupus erythematosus, Libman-Sacks "disease"), 422
Urticaria, emotional settings of some attacks, of, 100
papulosa; lichen urticatus, 102
pigmentosa, 102
pigmentosa; early syphilis (?), 460
pigmentosa in adult, 558
pigmentosa resembling mycosis fungoides, 132
solar, 229
studies in abnormal human sensitivity to light; prurigo aestivalis, eczema solare and urticaria photogenica; report of 17 cases and review of literature; light sensitivity in prurigo aestivalis, eczema solare and urticaria photogenica; report of experiments, 206
Usher-Senear Syndrome: See Pemphigus

Vaccinia: See Smallpox
Van Dyck, L. S.: Dermatitis due to nail polish: report of 2 cases, with experimental studies, *612
Vapors, apparatus for application of irritant vapors to skin, *173
Variola: See Smallpox
Venereal Diseases: See also Chancre; Gonorrhea; Syphilis; etc.
control in army, 101
Vero, F.: Lichen planus et atrophicus (folliculitis decalvans and lichen spinulosus, Little and McCafferty), 669
Nevus, melanoma or onychomycosis, 134
Verruca, Tuberculosis: See Tuberculosis
Vesication, acquired hypersensitivity to chlorinated ethylamine vesicants; report of case, *15
mycosis fungoides with bullous lesions; report of case resistant to roentgen and arsenical therapy; effects of empiric therapy, partly based on laboratory investigations, *359
production of bullae in skin of duck; experiments with bullae produced by vesicants, *616
production of bullae in skin of duck; preliminary report, *161
Viruses: See also under Herpes; Lymphogranuloma Venereum; Myxoma; Rabies; etc.
diseases of skin with reference to elementary and inclusion bodies; variola-vaccinia and molluscum contagiosum, *635
Vision, chemotherapeutic prophylaxis with sulfonamide drugs, 420
Vitamins: See also Nicotinic Acid; Thiamine; etc.
A: See also Carotene
A deficiency; variations in cutaneous manifestations from infancy to puberty, *1
A: effects of depletion in young adults, 422
A: keratosis follicularis; study of 4 cases, *143
Vitamins—Continued
A; pityriasis rubra pilaris of familial type; experiences in therapy with carotene and vitamin A, *288
A studies in cases of ichthyosis, *32
A studies in cases of keratosis follicularis (Darier's disease), *17
acanthosis nigricans; is it form of avitaminosis? *650
B: See also Nicotinic Acid; Thiamine
B; biotin and skin sensitivity, 99
B_1: See Thiamine
skin disturbances in diabetes mellitus; their relation to vitamin deficiencies, 424
Vitiligo, *400
in 3 siblings, *519
leukoderma treated with intracutaneous injections of tyrosinase enzyme, 430
of upper lip in players of wind instruments, *605
peculiar pigmentation following injection of tyrosinase in, 110
treated with tyrosinase, 438
Vulva, elephantiasis of undetermined cause; furrowed tongue; perlèche, 221
Paget's disease of, 559
treatment of essential pruritus and kraurosis vulvae, 424

Walzer, A.: Pemphigus foliaceus, 105
War: See also Military Medicine; etc.
dermatologists in, 417
Wassermann Reaction: See Syphilis
Weber, L. F.: Contact dermatitis due to sweat shirt, 239
Weber's Disease: See Hemangiectasis
Weichselbaum, P. K.: Lupus erythematosus, 222
Weiner, A. L.: Pityriasis rubra pilaris of familial type; experiences in therapy with carotene and vitamin A, *288
Werner Syndrome: See Scleroderma
Wheal: See Urticaria
White Spot Disease: See Scleroderma
Wilhelm, L. F. X.: Arsenical dermatitis with superficial epitheliomatosis, 324
Wise, F.: Dyskeratosis congenita with pigmentation, dystrophia unguis and leukokeratosis oris (Cole and others), 560
Extensive postacne keloids, 431
Lepra; case for diagnosis, 557
Multiple ulcers of skin; chronic ulcerative colitis, 551
Mycosis fungoides with bullous lesions; report of case resistant to roentgen and arsenical therapy; effects of empiric therapy, partly based on laboratory investigations, *359
Urticaria pigmentosa in adult, 558
Wolf, J.: Basal cell epithelioma, 437
Basal cell epithelioma of left axilla and left arm, 677
Lichen planus, pityriasis rosea or eczema, 439
Lichen sclerosus et atrophicus, 430, 433
Myoma; case for diagnosis, 564
Workmen's Compensation and Insurance: See also Industrial Diseases
actual causes of certain occupational dermatoses; study of 527 cases with reference to dermatoses due to mineral oils, *579
Wrist, neurofibromatosis of palms and wrists; keloids, 246

Xanthoma, case for diagnosis, 471
multiple xanthomatosis tuberosa, 664
necrobiosis lipoidica diabeticorum with xanthoma cells; report of case, *606
tuberosum multiplex, 553
Xanthomatosis: See Xanthoma
X-Rays: See Roentgen Rays

Yeast: See Ringworm

Zakon, S. J.: Alexander Samollovich Rosenblium; his contribution to fever therapy, *52
Effect of androgen on sebaceous glands of human skin, *601
Pemphigus erythematosus, 232
Pemphigus of mouth improving with acetarsone therapy, 457
Rosacea-like tuberculid of Lewandowsky, 333
Subungual purpura due to neo-synephrin nose drops, 213
Zona: See Herpes zoster
Zoster: See Herpes zoster